

CONTENT


























| | | | |
|------------------------------|-----------|-----------------------------------|-----------|
| ► MULTIROOM | 7 | BASIC | 57 |
| SMART HYDE | 9 | MD30 | 58 |
| SMART EVO | 10 | MDC401 | 59 |
| SMART IN SINGLE | 11 | MDC501 | 60 |
| SMART IN SET | 12 | MDC620 | 61 |
| SMART ZONE 4 AMP | 13 | | |
| SMART ZONE 4 | 14 | WATERPROOF | 63 |
| SMART STREAM | 15 | MDC6 | 64 |
| ART1.1 | 16 | MDC64 | 65 |
| SVC4.2 | 17 | DC84 | 66 |
| SVC6.2 | 18 | | |
| MULTIROOM bundles | 19 | INWALL SOLUTIONS | 67 |
| | | Precast concrete kit | 68 |
| ► INWALL LOUDSPEAKERS | 27 | Acoustic kit | 69 |
| | | Flush Mount Kit | 70 |
| | | | |
| INTIIMI | 29 | ► ONWALL SPEAKERS | 71 |
| RO2040 | 30 | | |
| RO2060 | 31 | SONAR | 73 |
| SQ2040 | 32 | AS150 | 74 |
| SQ2060 | 33 | AS350 | 75 |
| RE2040 | 34 | | |
| RE2060 | 35 | UNIVERSALS | 77 |
| RE2080 | 36 | UNI20 | 78 |
| | | UNI30 | 79 |
| | | UNI40 | 80 |
| | | | |
| HAPPI | 37 | OUTDOOR SPEAKERS | 81 |
| HPR0525 | 38 | ASW45.2 | 82 |
| HPR0550 | 39 | ASW55.2 | 83 |
| HPR0650 | 40 | ASW65.2 | 84 |
| HPR0820 | 41 | ASW550 | 85 |
| HPSQ525 | 42 | ASW800 | 86 |
| HPRE650 | 43 | ROCK | 87 |
| | | KURV | 88 |
| | | KURV BT | 89 |
| | | | |
| FLAT | 45 | SUBWOOFER | 91 |
| FL30 | 46 | ASA80.2 | 92 |
| FL101 | 47 | | |
| FL101BT | 48 | ► HEADPHONES & EARBUDS | 93 |
| FL301 | 49 | BRAINWAVE01 | 94 |
| FL401 | 50 | BRAINWAVE03 | 95 |
| FL501 | 51 | BRAINWAVE04 | 96 |
| FL502BT SINGLE | 52 | BRAINWAVE05 | 97 |
| FL502BT SET | 53 | BRAINWAVE07 | 98 |
| FL550 | 54 | BRAINWAVE09 | 99 |
| FL620 | 55 | | |

| | | | |
|--------------------------------------|------------|----------------------------|------------|
| ▶ PORTABLE BLUETOOTH SPEAKERS | 101 | PRE-AMPLIFIER | 146 |
| PWR01 | 102 | PM-2S01 | 146 |
| PWR02 | 103 | POWER AMPLIFIER | 147 |
| PWR03 | 104 | PRH-4240 | 147 |
| PWR04 | 105 | PRH-4350 | 148 |
| PWR12 | 106 | PRL-1502 | 149 |
| U10 | 107 | PRL-1504 | 150 |
| | | PRL-3002 | 151 |
| | | AMP850 | 152 |
| ▶ RADIOS | 109 | SOURCES | 153 |
| R8 | 110 | SRC-2221 | 153 |
| R9 | 111 | MIXING DESKS | 154 |
| RI60 | 112 | MIKS6.4 | 154 |
| R99 | 113 | ▶ CONTROL SYSTEM | 155 |
| LOUDSPEAKERS FOR PROS | 115 | WP-8000B | 156 |
| FL30T | 116 | WP-8000C | 157 |
| FL101T | 117 | VOLUME CONTROLLERS | 158 |
| AKUSTILE-01 | 118 | SVC6.2T | 159 |
| FL501T | 119 | ▶ MICROPHONES | 161 |
| MDT-1005 | 120 | MIC-8000A | 162 |
| MDT400-I | 121 | MIC-8000A | 162 |
| MDT500-P | 122 | MIC-621A | 163 |
| MDT600-P | 123 | MIC-621A | 163 |
| UNI30T | 124 | MIC-511C | 164 |
| UNI40T | 125 | MIC-511C | 164 |
| UNI75 | 126 | MIC-216 | 165 |
| ASW55.2T | 127 | MIC-216 | 165 |
| ROCK T | 128 | ▶ SIGNAL CONVERTERS | 167 |
| CLMN8 | 129 | T20 | 167 |
| ASP60 | 130 | ET20 | 167 |
| OSP500 | 131 | ▶ INSPIRATION | 169 |
| PSW525 | 132 | | |
| AS1000 | 133 | | |
| ▶ AMPLIFIERS | 135 | | |
| MIXING AMPLIFIERS | 138 | | |
| MX60MKII | 138 | | |
| MX-60M | 139 | | |
| MX-60 | 140 | | |
| MX-120M | 141 | | |
| MX-2406M | 142 | | |
| MX-5006M | 143 | | |
| MATRIX | 144 | | |
| MATAMP-2240 | 144 | | |
| MAT-8000 | 145 | | |



PICTOGRAMS

In order to make it easy on you and to avoid repetition, for the features of our products, we use pictograms, which you will see are obvious.


- | | | |
|--|--|---|
|  100V |  foldable earcups |  True Wireless Stereo |
|  noise cancelling |  internet radio |  Broadcast function |
|  remote control |  microphone |  frost proof |
|  alarm |  multiroom |  waterproof |
|  control via ap |  rechargeable battery |  wifi |
|  AUX input |  paintable |  lighting |
|  Bluetooth |  splash-proof |  recycled material |
|  DAB+ FM |  stereo | |
|  FM |  touch controle | |




SMART EVO

The ArtSound SMART EVO is a compact streaming multi-room amplifier with a modern design. It connects to your Wi-Fi or your wired internet, and features a wide selection of analogue and digital inputs. Like a phono input to connect your record player, and an HDMI input for TV sound. You can control the SMART EVO with the remote control or with our free application. Moreover, the built-in OLED screen on the SMART EVO gives you all the information you need. No wonder that you want more of them in your home. You can all connect them to one big network.

| | |
|--------------------|---|
| description | multiroom amplifier |
| output capacity | 80 W x 2 / 4 Ω RMS, 160 W x 2 / 4 Ω PEAK |
| impedance | 4-8Ω |
| frequency range | 20Hz - 20kHz |
| THD+N | <0.1% / 1W 1kHz |
| SNR | >93dB |
| network | Wifi: IEEE802.11 b/g/n 2.4GHz / 5GHz Ethernet: RJ45 |
| Bluetooth | Bluetooth 5.2 ; Codec : aptX HD, aptX LL, aptX AD, AAC, SBC |
| audio input | Bluetooth, Line in, Phono in, optical in, TV ARC, USB Host USB Type-C |
| audio output | subwoofer, speaker |
| streaming protocol | Spotify Connect, AirPlay 2, Tidal Connect, DLNA, UPnP, Qplay |
| online music | Internet Radio, Spotify, Tidal, Qobuz, Napster, Amazon Music, iHeartRadio, vTuner, SoundMachine, RadioParadise, Calm Radio, QQ Music, QQ FM |
| local music | mobile device, NAS storage, USB disk drive |
| multizone function | AirPlay 2, Alexa |
| tone control | EQ |
| display | 2.23" OLED panel |
| functions | alarm / sleep timer |
| control | remote controller & 4STREAM app (iOS + Android) |
| power supply | 32V / 4,75A |
| dim. (h x w x d) | 50 x 155 x 185mm |
| weight | 0,9kg |



With the SMART EVO, you can easily create your home audio system.





SMART IN SINGLE

The ArtSound SMART IN is an active streaming multiroom in-ceiling speaker. It connects easily to your Wi-Fi or your wired internet and features AirPlay2, Spotify Connect and many other popular streaming music services. You can control the SMART IN with our free application 4Stream. With SMART IN, you can easily build your home audio system and expand it with other products from our Smart range.

| | |
|--------------------|---|
| range | <50 m ² |
| system | 2-way coaxial |
| woofer | 6" neodymium |
| tweeter | 1" neodymium titanium dome |
| power | 60W |
| sensitivity | 87dB |
| impedance | 4Ω |
| frequency range | 55Hz - 20kHz |
| network | Wifi: IEEE802.11 b/g/n 2.4GHz, Ethernet: RJ45 |
| Bluetooth | 5.0 |
| audio input | Bluetooth, Line in |
| audio output | speaker 4-8 Ω |
| streaming protocol | Spotify Connect, AirPlay 2, Tidal Connect, DLNA, UPnP, Qplay |
| online music | Internet Radio, Spotify, Tidal, Qobuz, Napster, Amazon Music, iHeartRadio, vTuner, SoundMachine, RadioParadise, Calm Radio, QQ Music, QQ FM |
| local music | mobile device, NAS storage |
| multizone function | AirPlay 2 |
| control | 4STREAM app (iOS + Android) |
| power supply | 24V / 4.16A |
| dim. cut-out (Ø) | 210mm |
| dim. (Ø x d) | 235 x 108mm |
| weight / piece | 1,5kg |



Amplifier. Streamer. Speaker. Smart IN does it all.





SMART IN SET

ArtSound SMART IN SET is an active multiroom in-ceiling speaker paired with a passive in-ceiling speaker. It connects easily to your Wi-Fi or your wired internet and features AirPlay2, Spotify Connect and many other popular streaming music services. You can control the SMART IN with our free application 4Stream. With the SMART IN, you can easily build your home audio system and expand it with other products from our Smart range.

| | |
|--------------------|---|
| range | <50 m ² |
| system | 2-way coaxial |
| woofer | 6" neodymium |
| tweeter | 1" neodymium titanium dome |
| power | 60W |
| sensitivity | 87dB |
| impedance | 4Ω |
| frequency range | 55Hz - 20kHz |
| network | Wifi: IEEE802.11 b/g/n 2.4GHz, Ethernet: RJ45 |
| Bluetooth | 5.0 |
| audio input | Bluetooth, Line in |
| audio output | speaker 4-8 Ω |
| streaming protocol | Spotify Connect, AirPlay 2, Tidal Connect, DLNA, UPnP, Qplay |
| online music | Internet Radio, Spotify, Tidal, Qobuz, Napster, Amazon Music, iHeartRadio, vTuner, SoundMachine, RadioParadise, Calm Radio, QQ Music, QQ FM |
| local music | mobile device, NAS storage |
| multizone function | AirPlay 2 |
| control | 4STREAM app (iOS + Android) |
| power supply | 24V / 4.16A |
| dim. cut-out (Ø) | 210mm |
| dim. (Ø x d) | 235 x 108 mm (passive speaker : 235 x 100 mm) |
| weight / piece | 1,5kg (passive speaker 1,2kg) |



SMART IN SET comes with 1 active and 1 passive speaker.





SMART ZONE 4 AMP

The SMART ZONE 4 AMP is a streaming amplifier for 4 zones. For each zone, you get to choose the music source: internet radio, Spotify, Deezer, Tidal, Airplay ... let yourself go. Want to plug in additional external sources? Plenty of inputs and outputs to choose from! And if 4 zones aren't enough, you can also combine several SMART ZONE 4 AMPs or expand with other devices from the ArtSound Smart family. You see, everything is there to fill your whole house with music. You control the SMART ZONE 4 AMP with the super handy app on your smartphone or tablet. So, connect your speakers and enjoy!



The SMART ZONE 4 AMP has all the juice you need to power your speakers.

| | |
|--------------------|--|
| description | streaming amplifier for 4 zones - class D |
| output capacity | 2 x 60W RMS (8Ω), 2 x 105W RMS (4Ω) |
| network | LAN 10/100Mbit + passthrough |
| audio input | stereo RCA, optical, coaxial, USB (mass storage) |
| audio output | stereo RCA, coaxial |
| streaming protocol | Spotify Connect, AirPlay, DLNA, UPnP, Qplay |
| online music | Internet Radio, Spotify, Qobuz, Napster, Amazon Music, iHeartRadio, vTuner, SoundMachine, RadioParadise, Calm Radio, QQ Music, QQ FM |
| local music | mobile device, NAS storage, USB disk drive |
| multizone function | AirPlay |
| tone control | volume, treble, bass |
| functions | alarm function / sleep timer |
| control | 4STREAM app (iOS + Android) 12V Master Trigger-output |
| power supply | 110V - 240V |
| dim. (h x w x d) | 90 x 430 x 300mm |
| weight | 9kg |





ART1.1

The ART1.1, that is literally one-on-one: an amplifier for one zone and for one source. You can decide the zone yourself. We determined the source: Bluetooth.

This gem produces an amazing sound. Together with your built-in speaker, it forms the ideal combination to fill each space (toilet, kitchen, bathroom etc.) with enough sound. You can make the connection in a blink of an eye and wirelessly stream the playlist of your dreams. No hassle with Wi-Fi and registering. Straight forward. In the room you desire.

Do you like things clean and zen? Thanks to its compact measurements, you can discretely conceal the ART1.1. You already get it: a pure approach for a pure sound. Of course, with the trusted ArtSound-quality label.



Minimal visibility, maximum sound experience.

| | |
|------------------|---------------------------------|
| description | local audio distribution system |
| | Class D amplifier |
| | 2 x 10W RMS (8Ω) |
| | 2 x 15W RMS (4Ω) |
| sources | Bluetooth |
| power supply | 110V - 230V |
| dim. (h x w x d) | 35,5 x 54 x 159,5mm |
| weight | 0,21kg |





SVC4.2

You can connect the SVC4.2 to four pairs of loudspeakers to one amplifier output. The device ensures that your amplifier will not be subjected to excessive load as a result. The practical dials on the front panel allow you to adjust the volume for each pair of loudspeakers separately. This allows you to create up to four different volume zones. The style and finish of the SVC4.2 are also in perfect harmony with your hi-fi system. The rubber touch feels pleasant and has a luxurious appearance.

| | |
|------------------------------|---|
| description | volume control for 4 sets of loudspeakers |
| max. power | 2 x 80W (input level) |
| loudspeaker output impedance | 8Ω |
| amplifier input impedance | 4Ω |
| dim. (h x w x d) | 52 x 314 x 240mm |
| weight | 1,93kg |
| colour | black |




Do you own a classic amplifier? And you still wish to operate in different zones? Then the SVC4.2 might just be your solution, while you will give your amplifier a second life.



SVC6.2

You can connect the SVC6.2 to six pairs of loudspeakers to one amplifier output. The device ensures that your amplifier will not be subjected to excessive load as a result. The practical dials on the front panel allow you to adjust the volume for each pair of loudspeakers separately. This allows you to create up to six different volume zones. The style and finish of the SVC6.2 are also in perfect harmony with your hi-fi system. The rubber touch feels pleasant and has a luxurious appearance.

| | |
|------------------------------|---|
| description | volume control for 6 sets of loudspeakers |
| max. power | 2 x 180W (input level) |
| loudspeaker output impedance | 8Ω |
| amplifier input impedance | 4Ω |
| dim. (h x w x d) | 52 x 425 x 260mm |
| weight | 4,51kg |
| colour | black |



Do you wish to enhance all the offices or your practice with music? Then let the SVC6.2 be your soulmate. It divides your preferred stations across six different zones, each with their own level of volume.



SMART HYDE - FL501

multiroom-amplifier + 2 ultrathin inwall loudspeakers

Although the SMART HYDE is tiny, it fills the large world it gives you access to, via internet radio, Spotify, Bluetooth, Airplay ... Thanks to the network function and the app, you can install several of them in your home. In combination with our FL501's, you will have an all-round bundle, a top-duo showing great performance. Speakers don't need to stand out, but their sound does! The SMART HYDE should ideally always be installed inside.

living room
office
bedroom
dining room



SMARHYDE

multiroom amplifier - class D, 2 x 50W RMS (4Ω)
internet radio: > 10 000 stations worldwide
music services: Spotify Connect, TuneIn, vTuner, ...
alarm function / sleep timer
158 x 146 x 40mm



FL501

2-way coaxial inwall loudspeakers
10 - 100W (recommended)
88dB
200 x 70mm
white





SMART HYDE - HPRO525

multiroom-amplifier + 2 splash-proof inwall loudspeakers

Although the SMART HYDE is tiny, it fills the large world it gives you access to, via internet radio, Spotify, Bluetooth, Airplay ... Thanks to the network function and the app, you can install several of them in your home. In combination with our HPRO525's, you will have a hybrid bundle in and around the house. This is because the HPRO525 is suitable for indoors as well as outdoors, the reason for which this round speaker was developed. The SMART HYDE should ideally always be installed inside.

kitchen
bathroom
terrace
wellness



SMARHYDE

multiroom amplifier - class D, 2 x 50W RMS (4Ω)
internet radio: > 10 000 stations worldwide
music services: Spotify Connect, Tuneln, vTuner, ...
alarm function / sleep timer
158 x 146 x 40mm



HPRO525

2-way coaxial inwall loudspeakers
10 - 100W (recommended)
88dB
200 x 80mm
splash-proof





SMART HYDE - HPSQ525

multiroom-amplifier + 2 splash-proof inwall loudspeakers

Although the SMART HYDE is tiny, it fills the large world it gives you access to, via internet radio, Spotify, Bluetooth, Airplay ... Thanks to the network function and the app, you can install several of them in your home. With our HPSQ525s, you will have a hybrid bundle in and around the house. Because the HPRO525 is suitable for indoors as well as outdoors, the reason for which this square speaker was developed. The SMART HYDE should ideally always be installed inside.

**kitchen
bathroom
office
wellness**



SMARHYDE

multiroom amplifier - class D, 2 x 50W RMS (40)
internet radio: > 10 000 stations worldwide
music services: Spotify Connect, TuneIn, vTuner, ...
alarm function / sleep timer
158 x 146 x 40mm



HPSQ525

2-way coaxial inwall loudspeakers
10 - 100W (recommended)
88dB
170 x 170 x 80mm
splash-proof






SMART HYDE - ASW55.2

multiroom-amplifier + 2 waterproof onwall loudspeakers

Although the SMART HYDE is tiny, it fills the large world it gives you access to, via internet radio, Spotify, Bluetooth, Airplay ... Thanks to the network function and the app, you can install several of them in your home. In combination with our ASW55.2s, you will have an outdoor-pack in your home. Or rather: on your patio, at your pool, your tavern ... it can even handle a warehouse. The SMART HYDE should ideally always be installed inside.

stockroom
terrace
wellness



SMARHYDE


multiroom amplifier - class D, 2 x 50W RMS (40)
internet radio: > 10 000 stations worldwide
music services: Spotify Connect, Tuneln, vTuner, ...
alarm function / sleep timer
158 x 146 x 40mm



ASW55.2

2-way loudspeakers
20 - 120W (recommended)
87dB
170 x 170 x 80mm
waterproof / frost-free






ART1.1 - FL30

minimalist amplifier + 2 ultra-small inwall loudspeakers

The ART1.1, that is one-on-one, literally. An amplifier for a single zone and a single source. You can select the zone yourself, we have already determined the source: Bluetooth. This gem produces an amazing sound. The combination with the FL30s is ideal to provide every small space with sufficient tone. It takes just seconds to make the connection and wirelessly stream the playlist of your dreams.

toilet
hallway
compact kitchen



ART1.1

class D amplifier
2 x 15W RMS (4Ω)
2 x 10W RMS (8Ω)
Bluetooth



FL30

full range system
10 - 50W (recommended)
90dB
100 x 52mm (Ø x d)





📍 Nonam, Ghent



📍 Christeys, Ghent

HPRO550

Happi is Finnish for transparency and oxygen. This HPRO550 will be your perfect partner. It will create the perfect ambiance to let off some steam. With its aluminium woofer and double tweeter, it will carry every detail extremely far and it will produce a full-blown stereo effect on its own.


- ① aluminium woofer for higher output
- ② aluminium grill with water-resistant magnetic system
- ③ double swivel tweeter



Steam in your bathroom, both literally and metaphorically: the HPRO550 does the business!




black grill (option)



TECHNICAL SPECIFICATIONS

| | |
|------------------------|--|
| range | <50m ² |
| system | 2-way coaxial |
| woofer | 5,25" alu cone rubber edge |
| tweeter | 2 x 0,75" neodymium alu dome |
| amp power | 10 - 100W (recommended) |
| sensitivity | 88dB |
| impedance | 8Ω |
| frequence range | 60Hz - 20kHz |
| dimensions cut-out (∅) | 180mm |
| dimensions (∅ x d) | 200 x 80mm |
| weight / piece | 1.10kg |
| composition | ABS / aluminium grill |
| colour | white |
| features | paintable grill splash-proof |
| options | acoustic kit (KITR04) black grill (GRILLHPR0525B) |

DIMENSIONS




FL401

This built-in speaker is flatter and more invisible than any of its predecessors. The frame has been reduced to just one millimetre, yet continues to score highly in terms of vibration absorption. The grille of the speaker is extremely finetuned and feels almost like silk. The sound is accurate, warm and carries a long way. A no-bones-about-it speaker.




Small but courageous, that's how you could describe the FL401.



TECHNICAL SPECIFICATIONS

| | |
|------------------------|-------------------------|
| range | <40m ² |
| system | 2-way coaxial |
| woofer | 4" polypropylene carbon |
| tweeter | 0,5" polycarbonate |
| amp power | 10 - 100W (recommended) |
| sensitivity | 86dB |
| impedance | 8Ω |
| frequency range | 90Hz - 20kHz |
| dimensions cut-out (Ø) | 160mm |
| dimensions (Ø x d) | 180 x 70mm |
| weight / piece | 0,95kg |
| composition | ABS / metal grill |
| colour | white |
| features | paintable grill |
| options | acoustic kit (KITR01) |

DIMENSIONS



FL502BT SINGLE

This active built-in speaker hides an amplifier with the latest Bluetooth version and links to your music in the blink of an eye. Aside from that it also still has an AUX-entry, suitable for every source. Because we want nothing less than the ultimate sound quality, we added the latest audio technology. That is what you hear. What this speaker shows is a sleek and timeless design, with a frame of no more than 1 mm and an ultra-smooth grille. The speaker is very easy to install with the self-tightening clamps. The grille is magnetic and will be connected in one click.


The FL502BT Single is also available as a set with a passive speaker: the FL502BT SET.



In your bedroom, kitchen, office, practice ... you'll have the perfect soundtrack anywhere.




black grill (option)



TECHNICAL SPECIFICATIONS

| | |
|------------------------|--|
| range | <50 m ² |
| system | 2-way coaxial |
| woofer | 5,25" polypropylene carbon |
| tweeter | 0,5" polycarbonate |
| amplifier | 1x45W RMS, Class D |
| sensitivity | 88dB |
| impedance | 8Ω |
| frequency range | 65Hz - 20kHz |
| sources | Bluetooth 5.1: Qualcomm® aptX aptX™HD, aptX Adaptive Audio |
| input | AUX |
| dimensions cut-out (Ø) | 180mm |
| dimensions (Ø x d) | 200 x 70mm |
| weight / piece | 1kg |
| composition | ABS / metal grill |
| colour | white |
| features | paintable grill |
| options | acoustic kit (KITR04) black grill (GRILLHPR0525B) |

DIMENSIONS







📍 McDonald's, Kruisem



Precast concrete kit




The CKIT allows you to create an acoustic space in vaults or concrete structures. The 'smart' solution for acoustically unfriendly surroundings. This kit is installed before you cast the concrete and guarantees a smooth sound in any concrete structure. The CKIT is always packed per unit.



| | |
|----------------|---------------------------|
| | CKIT250 |
| composition | ABS + mineral fibre panel |
| dimensions (Ø) | 280 x 110mm |
| max. cut-out | 250 mm |

Acoustic kit

These kits, made from water-repellent MDF are always packed per unit. These are easy to install and acoustic-absorbent. The kits help eliminate annoying resonations which may occur at the rear of the loudspeaker when you install it in a wall or ceiling.



| | KITR01 | KITR04 | KITR03 |
|------------------|-------------------|---|------------------------------------|
| composition | moistureproof MDF | moistureproof MDF | moistureproof MDF |
| inner dim. (Ø) | 160mm | 180mm | 210mm |
| dim. (h x w x d) | 230 x 230 x 98mm | 270 x 270 x 98 mm | 280 x 280 x 120 mm |
| suitable for | R02040 / FL401 | HPR0525 / FL550 / FL501 / MDC501 / FL501T / FL502BT SINGLE / FL502BT SET / HPR0550 | R02060 / HPR0650 / FL620 MDC620 |





| | KITSQ4 | KITSQ3 |
|--------------------|--|-------------------|
| composition | moistureproof MDF | moistureproof MDF |
| inner dim. (h x w) | 145 x 145mm | 210 x 210mm |
| dim. (h x w x d) | 236 x 236 x 98mm | 280 x 280 x 120mm |
| suitable for | FL101 / FL101BT / FL101T / HPSQ525 SQ2040 / | SQ2060 |




| | KITRE1 | KITRE2 | KITRE3 | KITRE4 |
|--------------------|-------------------|-------------------|-------------------|-------------------|
| composition | moistureproof MDF | moistureproof MDF | moistureproof MDF | moistureproof MDF |
| inner dim. (h x b) | 195 x 125mm | 245 x 160mm | 275 x 190mm | 335 x 230mm |
| dim. (h x w x d) | 265 x 195 x 98mm | 315 x 230 x 98mm | 345 x 260 x 110mm | 405 x 300 x 120mm |
| suitable for | RE2040 | HPRE650 / FL301 | RE2060 | RE2080 |

Flush Mount Kit

This kit ensures that the Intiimi loudspeaker's design grill is exactly level with the surface of your ceiling. In other words, by staying flush with the surface, they blend in with each other without being conspicuous. The flush mount kits were designed with the idea for easy installation and unobtrusiveness. Available for all Intiimi models.



| | FLKIT R02040 | FLKIT R02060 | FLKIT SQ2040 | FLKIT SQ2060 |
|--------------------|------------------|------------------|------------------|------------------|
| material | composite | composite | composite | composite |
| inner dim. (h x w) | 177,3mm | 237,3mm | 167,5 x 167,5mm | 237,5 x 237,5mm |
| dim. (h x w x d) | 280 x 280 x 14mm | 350 x 350 x 14mm | 280 x 280 x 14mm | 350 x 350 x 14mm |
| suitable for | R02040 | R02060 | SQ2040 | SQ2060 |



| | FLKIT RE2040 | FLKIT RE2060 | FLKIT RE2080 |
|--------------------|------------------|------------------|------------------|
| material | composite | composite | composite |
| inner dim. (h x w) | 221,5 x 150,5mm | 296,5 x 206,7mm | 369,1 x 261,1mm |
| dim. (h x w x d) | 330 x 260 x 14mm | 409 x 319 x 14mm | 482 x 374 x 14mm |
| suitable for | RE2040 | RE2060 | RE2080 |



AS150

An exceptional design in a high-quality cabinet. In combination with the fibreglass woofer in a wooden frame, the special tweeter is absolutely unique. The warm colour is a dead giveaway for the sound: deep basses and high-quality mid-range, enhanced by a strong wave of high tones. Perfect for every modern interior. The AS150 produces up to 100W without any distortion.




The AS150 doesn't need a lot of room to fill a room with noise. It can also serve as a component in a true home cinema set.



TECHNICAL SPECIFICATIONS

| | |
|------------------------|-------------------------|
| range | <40m ² |
| system | 2-way |
| woofer | 3" carbon glass |
| tweeter | 1" silk dome |
| bass reflex | yes |
| magnetic shielded | yes |
| amp power | 10 - 100W (recommended) |
| sensitivity | 86dB |
| impedance | 8Ω |
| frequency range | 100Hz - 20kHz |
| dimensions (h x w x d) | 185 x 135 x 152mm |
| weight / piece | 1.6kg |
| composition | ABS |
| colour | high gloss black |
| suspension | wall bracket (incl.) |



wall bracket



gilded cable connection

AS350

The conical shape of this speaker's casing, together with the bass reflex, will guarantee a warm tone with good representation of the details. The silky tweeter forms a golden formula with the woofer and wooden casing. The lacquered finishing (4 layers) provides a classy look.



The AS350 has a sleek and funky design without a grill. Using the wall bracket, you can align it perfectly in any direction you choose.



COLOURS high gloss: cherry / black



TECHNICAL SPECIFICATIONS

| | |
|------------------------|---------------------------------------|
| range | <40m ² |
| system | 2-way |
| woofer | 3.5" polypropylene cone |
| tweeter | 0.5" silk dome |
| bass reflex | yes |
| magnetic shielded | yes |
| amp power | 10 - 100W (recommended) |
| sensibility | 80dB |
| impedance | 8Ω |
| frequency range | 85Hz - 20kHz |
| dimensions (h x w x d) | 168 x 115 x 166mm |
| weight / piece | 1.4kg |
| composition | MDF |
| colour | high gloss cherry high gloss black |
| suspension | wall bracket (incl.) |



high-quality gilded
cable connection



UNI20

This loudspeaker has a neutral design, with a strong housing. It generates great performance output as a result, in spite of its compact dimensions. The plug-in screw connection allows for easy mounting. This loudspeaker is suitable for use in smaller spaces, such as a corridor, small kitchen, toilet, etc...



The UNI20 may be very compact, yet generates a warm sound thanks to its two-way system.




COLOURS white / black / quartz



TECHNICAL SPECIFICATIONS

| | |
|------------------------|------------------------|
| range | <20m ² |
| system | 2-way |
| woofer | 3" glass fiber cone |
| tweeter | 1/2" PEI ferrite |
| bass reflex | no |
| magnetic shielded | no |
| amp power | 10 - 40W (recommended) |
| sensibility | 90dB |
| impedance | 8Ω |
| frequency range | 150Hz - 20kHz |
| dimensions (h x w x d) | 150 x 96 x 94mm |
| weight / piece | 0,75kg |
| composition | ABS |
| colour | white / black / quartz |
| suspension | wall bracket (incl.) |



ball and socket joint

CLICK!



plug-in
screw adaptor

UNI30

This loudspeaker is a real bestseller in various countries, thanks to its neutral design and its strong bass reflex housing. It generates great performance output as a result, in spite of its compact dimensions. The plug-in screw connection allows for easy mounting. This loudspeaker may be used in a kitchen, tavern and even an industrial warehouse.



For years, the UNI30 – has been the best-selling loudspeaker in the Benelux. So, what's its secret? It's robust, produces quality sound, is timeless in design and is easy-to-use.



COLOURS white / black




TECHNICAL SPECIFICATIONS

| | |
|------------------------|------------------------------|
| range | <40m ² |
| system | 2-way |
| woofer | 3,5" polypropylene mica cone |
| tweeter | 1/2" neodymium |
| bass reflex | yes |
| magnetic shielded | no |
| amp power | 20 - 60W (recommended) |
| sensibility | 90dB |
| impedance | 8Ω |
| frequency range | 100Hz - 20kHz |
| dimensions (h x w x d) | 180 x 115 x 112mm |
| weight / piece | 1,2kg |
| composition | ABS |
| colour | white / black |
| suspension | wall bracket (incl.) |



ball and socket joint



plug-in
screw adaptor

UNI40

This loudspeaker has a neutral design, with a strong bass reflex housing. It generates great performance output as a result, in spite of its compact dimensions. The plug-in screw connection allows for easy mounting. This loudspeaker may be used in a kitchen, tavern as well as any retail store.



Since the UNI40 can pack a punch, it is suitable for any large space. Its classic form ensures it will blend into its surroundings.




COLOURS white / black



TECHNICAL SPECIFICATIONS

| | |
|------------------------|--------------------------|
| range | <40m ² |
| system | 2-way |
| woofer | 5,25" polypropylene mica |
| tweeter | 1/2" PEI ferrite |
| bass reflex | yes |
| magnetic shielded | no |
| amp power | 20 - 100W (recommended) |
| sensibility | 90dB |
| impedance | 16Ω |
| frequency range | 60Hz - 20kHz |
| dimensions (h x w x d) | 230 x 146 x 142mm |
| weight / piece | 1,9kg |
| composition | ABS |
| colour | white / black |
| suspension | wall bracket (incl.) |



ball and socket joint



plug-in
screw adaptor

ASW45.2

Maxi-waterproof in a mini package? As the smallest of the bunch, that's what the ASW45.2 is all about.

Designed with the latest acoustic techniques, it is stunningly powerful yet discreet, thanks to its small size. The unique deflected profile provides clear and warm sound performance. Thanks to the indoor - outdoor switch button, this speaker ensures your musical enjoyment, both outdoors and indoors. In addition, the bass reflex may be hermetically sealed using the tube supplied.



The ASW45.2 is a regular on every local terrace. Discreet, part of the furniture, but loud when you want it to be.



COLOURS white / black



TECHNICAL SPECIFICATIONS

| | |
|------------------------|------------------------|
| range | <30m ² |
| system | 2-way |
| woofer | 3,5" polymica cone |
| tweeter | 0,5" PEI dome |
| bass reflex | yes |
| magnetic shielded | no |
| amp power | 10 - 80W (recommended) |
| sensibility | 86dB |
| impedance | 8Ω |
| frequency range | 95Hz - 20kHz |
| dimensions (h x w x d) | 200 x 150 x 110mm |
| weight / piece | 1,35kg |
| composition | ABS |
| colour | white / black |
| waterproof | yes (IP54) |
| frost-free | yes |
| features | indoor-outdoor switch |
| suspension | wall bracket (incl.) |



indoor-outdoor
switch

ASW55.2

The ASW55.2 is one of the ultimate models among waterproof loudspeakers.

It incorporates the newest acoustic technology and is amazingly powerful yet discreet. The unique curved shape produces clear, warm sound performance. Thanks to the indoor-outdoor switch, this speaker provides pure musical enjoyment, outdoors as well as indoors. In addition, the bass reflex may be hermetically sealed using the tube supplied.



With the included bracket you can easily mount this powerhouse to any wall.



COLOURS white / black



TECHNICAL SPECIFICATIONS

| | |
|------------------------|-------------------------|
| range | <40m ² |
| system | 2-way |
| woofer | 5,25" polymica cone |
| tweeter | 0,5" PEI dome neodymium |
| bass reflex | yes |
| magnetic shielded | no |
| amp power | 20 - 120W (recommended) |
| sensibility | 87dB |
| impedance | 8Ω |
| frequency range | 75Hz - 20kHz |
| dimensions (h x w x d) | 250 x 190 x 150mm |
| weight / piece | 2,3kg |
| composition | ABS |
| colour | white / black |
| waterproof | yes (IP54) |
| frost-free | yes |
| features | indoor-outdoor switch |
| suspension | wall bracket (incl.) |



ASW65.2

This waterproof speaker is equipped with the latest acoustic technology. It is amazingly powerful and still discrete. The unique curved shape produces clear, warm sound performance. Thanks to the indoor-outdoor switch, this speaker provides pure musical enjoyment, outdoors as well as indoors. In addition, the bass reflex may be hermetically sealed using the tube supplied.



The ASW65.2 is no softie though. Terrasses, swimming pools, parks, etc. will by no means be a challenge.



COLOURS white / black



TECHNICAL SPECIFICATIONS

| | |
|------------------------|-------------------------|
| range | <50m ² |
| system | 2-way |
| woofer | 6,5" polymica cone |
| tweeter | 1" PEI dome |
| bass reflex | yes |
| magnetic shielded | no |
| amp power | 20 - 140W (recommended) |
| sensibility | 87dB |
| impedance | 8Ω |
| frequency range | 43Hz - 20kHz |
| dimensions (h x w x d) | 310 x 240 x 180mm |
| weight / piece | 3.13kg |
| composition | ABS |
| colour | white / black |
| waterproof | yes (IP54) |
| frost-free | yes |
| features | indoor-outdoor switch |
| suspension | wall bracket (incl.) |



indoor-outdoor switch

ASW550

The ASW550 is among the best in the ArtSound waterproof series. This high-end waterproof speaker is suitable for substantial areas indoors or outdoors. The patented 5,25" driver allows every bass tone to fill the space, whereas the tweeter ensures immaculate reproduction of every detail. Inside, the ArtSound filter ensures the perfect balance of the sound.

- ① This patented bracket allows for perfect alignment in every space.



The ASW550 easily fills every environment or space. This waterproof speaker is also highly ground-breaking.



TECHNICAL SPECIFICATIONS

| | |
|------------------------|---------------------------|
| range | <55m ² |
| system | 2-way |
| woofer | 5,25" polypropylene cone |
| tweeter | 0,79" silk dome |
| bass reflex | yes |
| magnetic shielded | no |
| amp power | 40 - 180W (recommended) |
| sensibility | 84dB |
| impedance | 8Ω |
| frequency range | 75Hz - 20kHz |
| dimensions (h x w x d) | 288 x 181 x 136mm |
| weight / piece | 2,23kg |
| composition | ABS / aluminium grill |
| colour | black |
| waterproof | yes (IP66) |
| frost-free | yes |
| suspension | 180° wall bracket (incl.) |




high-quality gilded cable connection

ASW800

The ASW800 is our showpiece in the waterproof series. This high-end waterproof speaker is suitable for indoor or outdoor use, for vast areas. The patented 8" driver ensures every bass sound to pump, while the tweeter won't miss out on any detail. The ArtSound filter inside ensures perfect balance of sound.

- ① This patented bracket allows for perfect alignment in every space.



The ASW800 has no limits. A huge terrace or robust swimming pond, it will easily fill every environment or space. Get to know the Rolls-Royce among the waterproof speakers.



TECHNICAL SPECIFICATIONS

| | |
|------------------------|---------------------------|
| range | <65m ² |
| system | 2-way |
| woofer | 8" polypropylene cone |
| tweeter | 1" silk dome |
| bass reflex | yes |
| magnetic shielded | no |
| amp power | 60 - 220W (recommended) |
| sensitivity | 87dB |
| impedance | 8Ω |
| frequency range | 65Hz - 20kHz |
| dimensions (h x w x d) | 395 x 250 x 180mm |
| weight / piece | 3,4kg |
| composition | ABS / aluminium grill |
| colour | black |
| waterproof | yes (IP67) |
| frost-free | yes |
| suspension | 180° wall bracket (incl.) |



high-quality gilded cable connection

ROCK

Our rock in the surf. You can hear it, but you can't see it. The design of the Rock blends seamlessly into any garden. Moreover, it is resistant to all weather conditions. Thanks to the special bass reflex, you can enjoy powerful deep bass and it provides optimum dispersion over a large area.




The rock resists every whim of the weather gods. It blends easily into tall grasses, flower arrangements and lush plants. Only its powerful sound betrays its presence.



TECHNICAL SPECIFICATIONS

| | |
|------------------------|---------------------------|
| range | <50m ² |
| system | 2-way coaxial |
| woofer | 6.5" polypropylene carbon |
| tweeter | 0,5" PEI dome |
| bass reflex | yes |
| magnetic shielded | no |
| amp power | 20 - 120W (recommended) |
| sensibility | 91dB |
| impedance | 8Ω |
| frequency range | 50Hz - 20kHz |
| dimensions (h x w x d) | 320 x 230 x 270mm |
| weight / piece | 5kg |
| composition | ABS |
| colour | grey |
| waterproof | yes (IP54) |
| frost-free | yes |
| UV resistant | yes |



bass reflex-casing for an even deeper sound

KURV

The Kurv is all about distinction through simplicity. The organic design houses the latest technology. The 5,25" driver with coaxial tweeter is housed in a water-repellent, sloping jacket. You connect the Kurv to many an amplifier and bring it to life. For everyone who wants to be visually and audibly spoiled by a true icon. The Kurv has both a low impedance as well as a 100V connection.



Declared a style icon, this speaker also musically brightens up many a terrace.



COLOURS white / quartz



TECHNICAL SPECIFICATIONS

| | |
|------------------------|---------------------------------|
| range | <50 m ² |
| system | 2-way |
| woofer | 5,25 polypropylene cone |
| tweeter | 0,75" silk dome |
| max. power (100V) | 7,5 - 15 - 30W |
| max. power (8Ω) | 10 - 100W |
| sensibility | 85dB |
| impedance | 6Ω |
| frequency range | 75Hz - 20kHz |
| dimensions (h x w x d) | 308 x 391 x 212mm |
| weight / piece | 4,9kg |
| composition | LLDPE plastic / aluminium grill |
| colour | white / quartz |
| waterproof | yes (IP66) |
| frost-free | yes |
| UV resistant | yes |



aluminium grill



adjustable power connection

KURV BT

The Kurv BT is all about distinction through simplicity. The organic design houses the latest technology. The 5,25" driver with coaxial tweeter is housed in a water-repellent, sloping jacket. The built-in Bluetooth technology and TWS (True Wireless) provide a wireless connection for fast listening pleasure. The built-in battery guarantees 24 hours of autonomy. For everyone who wants to be visually and audibly spoiled by a true icon!



Declared a style icon, this Bluetooth speaker will musically brighten up many a terrace for at least 10 hours.



pair a second unit wirelessly for stereo playback. (TWS)



COLOURS white / quartz



TECHNICAL SPECIFICATIONS

| | |
|------------------------|---------------------------------|
| range | <100 m ² |
| system | 2-way active |
| woofer | 5,25" polypropylene |
| tweeter | 0,75" silk dome |
| amplifier | 20W RMS, Class D |
| amp power max. | 10 - 100W |
| sensibility | 85dB |
| impedance | 6Ω |
| frequency range | 60Hz - 20kHz |
| stereo | True Wireless (TWS) connection |
| wireless | Bluetooth 5,0 |
| battery | 2600 mAh (10 uur) |
| dimensions (h x w x d) | 308 x 391 x 212mm |
| weight / piece | 5,06kg |
| composition | LLDPE plastic / aluminium grill |
| colour | white / quartz |
| waterproof | yes (IP66) |
| UV resistant | yes |



aluminium grill



controle




integrated cable

ASA80.2

Even a subwoofer can be discreet. With the ASA80.2, ArtSound has packed an active subwoofer into a very compact cube design. The rounded corners even give it a sympathetic look, but make no mistake, it houses 200W and fills up any room effortlessly. Mind-boggling vibrations are guaranteed.



The ASA80.2, here in a large living room, knows no bounds. 75 m² is no problem at all.




TECHNICAL SPECIFICATIONS

| | |
|------------------------|---|
| range | <75 m ² |
| system | active subwoofer |
| woofer | 8" polymica cone |
| bass reflex | - |
| magnetic shielded | no |
| amp power | 80W / 200W |
| sensibility | - |
| impedance | 4Ω |
| frequency range | 40Hz - 150Hz |
| dimensions (h x w x d) | 325 x 310 x 350mm |
| weight / piece | 10kg |
| composition | MDF |
| colour | black |
| features | separate volume control phase control high-level inputs |

- ① Adjust the subwoofer perfectly to the space it is in.
- ② It can also drive smaller satellite speakers.

BRAINWAVE01

The BRAINWAVE01 earbuds are earbuds packed with top technology. They ensure optimal wearing comfort and excellent sound quality. The built-in EQ and microphone guarantee a balanced sound that fully brings out the highs and lows. With the intuitive touch control, you can easily switch between your playlist and a phone call. You can barely feel these BRAINWAVE earbuds, they weigh almost nothing and they are water resistant. To make sure they fit every ear, we include custom ear tips. These earbuds give you up to 4 hours of autonomy and the stylish case is also your charger; good for up to 12 hours of wireless enjoyment!



Perfectly sized and lightweight, these earbuds let you enjoy your music anywhere, even in challenging conditions.



black



green

TECHNICAL SPECIFICATIONS

| | |
|------------------------------|-------------------------------|
| Bluetooth | 5.0 - TWS |
| sensitivity | 100+ / -3db / 1kHz |
| speaker driver | 2 x 9mm, 16Ω |
| built-in microphone | 1 |
| noise cancelling | no |
| touch control | yes |
| playtime / with case | 4h / 12h |
| charging time earbuds / case | 1,5 - 2h / 1,5h |
| earbuds battery | Li-Polymer, 50mAh (each) |
| capacity - earbud | 3,7V / 40mAh |
| capacity - case | 3,7V / 400mAh |
| cables | charging cable, type c |
| weight case / earbuds | 40g / 4,3g (each) |
| colour | black / green |
| splash-proof | IPX4 |
| extra | 3 silicone eartips (S/M/L) |



touch control for intuitive use




always comfortable and stable: custom ear tips included

BRAINWAVE03

Because better sound starts with better silence, these BRAINWAVE03 earbuds combine state-of-the-art noise cancelling technology and dual microphones with sophisticated EQ functionality. The result is that high and low ranges have never sounded so pure, as any disturbing noise is nicely filtered out. Switching between your playlist and a phone call is intuitive, thanks to touch control. These BRAINWAVE earbuds are comfortable and stable and they are water resistant. To make sure they fit every ear, we include different ear tips.

These earbuds give you up to 4 hours of autonomy and the stylish case is also your charger: good for up to 12 hours of wireless enjoyment!



Thanks to active noise cancelling, you can organise your workspace wherever you want.



white



green



TECHNICAL SPECIFICATIONS

| | |
|------------------------------|------------------------------|
| Bluetooth | 5.0 TWS |
| sensitivity | 100+ / -3db / 1kHz |
| speaker driver | 2 x 10mm, 16Ω |
| built-in microphone | 2 |
| noise cancelling | active - 22db - 25db - 1 kHz |
| touch control | yes |
| playtime / with case | 4h / 12h |
| charging time earbuds / case | 1,5 - 2h / 1,5h |
| earbuds battery | Li-Polymer, 40mAh (each) |
| case battery | Li-Polymer, 500mAh |
| capacity - earbuds battery | 3,7V / 40mAh |
| capacity - case battery | 3,7V / 400mAh |
| cables | charging cable, type c |
| weight case / earbuds | 55g / 5,5g (each) |
| colour | white / green |
| splash-proof | IPX4 |
| extra | 3 silicone eartips (S/M/L) |




touch control for intuitive use



always comfortable and stable: custom ear tips included

BRAINWAVE05

The BRAINWAVE05 on-ear headphones give you wireless freedom and flawless sound quality. That so much technology can be contained within a weight of just 140g is unprecedented. Its built-in drivers generate a very clear, powerful and above all warm sound, both quiet and loud. You can easily control the volume of these wireless headphones using the very intuitive push buttons on the earcup, which also allow you to switch between music and phone. Another plus: the built-in microphone captures your voice in a crystal clear fashion. The headband on this BRAINWAVE is made of durable material that is so comfortable that you forget you're wearing it.



Thanks to its ergonomic design, the BRAINWAVE05 is barely noticeable and that's perfect, because you have other things on your mind.




black



green

TECHNICAL SPECIFICATIONS

| | |
|---------------------|---------------------------------------|
| Bluetooth | 5.0 |
| sensitivity | 100+ / -3db / 1kHz |
| speaker driver | 2 x 40mm, 32Ω |
| built-in microphone | 1 |
| noise cancelling | no |
| playtime | 15h |
| charging time | 1,5 - 2h |
| battery | Li-Polymer |
| power supply | 5V / 380mAh |
| earcups | foldable |
| cables | charging cable, type c audio cable |
| weight | 140g |
| colour | black / green |
| splash-proof | IPX4 |




foldable earcups



intuitive controls on the earcup

BRAINWAVE07

These BRAINWAVE07 over-ear headphones produce stunning sound quality, thanks in part to their active noise cancelling with zero tolerance for interference. The dual microphone detects and neutralises any ambient noise without mercy. If you do want to hear the sounds of your surroundings, you can switch to conversation mode with just one click. For the design, the engineers perfectly took our anatomy into account. They chose durable materials with extra-soft ear cups that house all the controls. The BRAINWAVE07's ease of use allows you to enjoy crystal clear sound quality anytime, anywhere for up to 35 hours.



With BRAINWAVE07 you can create your own world anywhere, even when around others.



sand

black

TECHNICAL SPECIFICATIONS

| | |
|---------------------|---------------------------------------|
| Bluetooth | 5.0 |
| sensitivity | 100+ / -3db / 1kHz |
| speaker driver | 2 x 40mm, 32Ω |
| built-in microphone | 3 |
| noise cancelling | active - 22-25db - 25db / 1kHz |
| playtime | 30h / 40h (ANC on/off) |
| talk time | 50h |
| charging time | 1,5 - 2h |
| min. charging time | 15 min. = 5h (ANC off) |
| battery | Li-Polymer |
| battery capacity | 3,7V / 750mAh |
| power supply | 5V / 750mAh |
| earcups | foldable |
| cables | charging cable, type c audio cable |
| weight | 240g |
| composition | 100% recycled GRS ABS |
| colour | sand, black |
| splash-proof | IPX4 |



foldable earcups



noise cancelling with just one button

BRAINWAVE09

The BRAINWAVE09 is our best headphone at the moment. It combines all the knowledge and technology we have in house. Its sophisticated wearing comfort means you hardly feel it on your head. The clean sound and deep bass are sure to be felt!

Hybrid noise reduction combined with perfectly fitting ear pads and you are king in your own world. That is, if you want to, because with Transparency Mode, you'll let the outside world right back in.



The BRAINWAVE09, our best headphones, come in a handy storage case.



TECHNICAL SPECIFICATIONS

| | |
|---------------------|--|
| Bluetooth | 5.0, low latency multipoint connection |
| sensitivity | 30dB - 35dB / 1kHz |
| speaker driver | 2 x 40mm, 32Ω |
| built-in microphone | 5 |
| noise reduction | hybrid 22-25db - 25db / 1kHz transparency mode - ENC |
| playtime | > 45h / 50h (ANC on/off) |
| talk time | > 40h |
| charging time | 2h |
| min. charging time | 10 min. = 10h (ANC off) |
| battery | Li-Polymer |
| battery capacity | 3,7V / 580mAh |
| power supply | 5V / 580mAh |
| earcups | foldable |
| cables | charging cable, type c |
| weight | 260g |
| composition | 100% recycled GRS ABS |
| splash-proof | IPX4 |
| extra | storage case |



foldable earcups



PWR01

The PWR01 is a waterproof Bluetooth speaker that will knock you off your feet: that's how surprisingly full and deep the sound of this 'little one' is. It keeps high and low notes perfectly balanced. Thanks to its cylindrical design, the music sounds 'loud and clear' from all sides. The built-in LED lights add a visual experience. By the way, the PWR01 is sturdy and it can take some bad weather, because it is waterproof at level IPX7. And as if that isn't enough to convince you, it has a handsfree call button to your smartphone, Broadcast technology for wireless connection... this speaker has it all. Everything about it is premium quality. That makes the PWR01 time, gender and ageless.



Thanks to the carrying strap and the built-in 12-hour battery, you can take the PWR01 anywhere you go: to school, to the campsite, to festivals, to the beach, or to the garden behind your home ...



blue

black



Pair two PWR01 speakers for stereo sound

TECHNICAL SPECIFICATIONS

| | |
|--------------------|--|
| system | 2-way |
| range | <20 m ² |
| driver | 2 x 1,77" |
| amp power RMS | 16 W, class D |
| sensitivity | 75 dB |
| frequency range | 80 Hz - 20 KHz |
| sources | stereo Bluetooth [Broadcast] |
| input | USB (charging), 5V / 1A AUX - 3.5 mm jack |
| functions | hands-free call |
| lighting | led - 3 light themes |
| wireless | Bluetooth 5.3 (10 m) |
| battery | Li-ion 3.6V 2500mAh 12h (3>4h charging) |
| power supply | USB-C (DC 5 V ±0.5/2A) |
| weight / piece | 0,328kg |
| composition | ABS + textile + TPU |
| colour | black / blue |
| dimensions (Ø x h) | 95 x 84mm |
| waterproof | yes (IPX7) |




360°
sound quality



Built-in LED light

PWR02

The PWR02 is a waterproof Bluetooth speaker that will knock you off your feet: that's how surprisingly full and deep the sound of this speaker is. It keeps high and low notes perfectly balanced. Thanks to its cylindrical design, the music sounds 'loud and clear' from all sides. The built-in LED lights add a visual experience. By the way, the PWR02 is sturdy and it can take some bad weather, because it is waterproof at level IPX7. And as if that isn't enough to convince you, it has a handsfree call button to your smartphone, Broadcast technology for wireless connection... this speaker has it all. Everything about it is premium quality. That makes the PWR02 time, gender and age-less.



Thanks to the carrying strap and the built-in 14-hour battery, you can take the PWR02 anywhere you go: to school, to the campsite, to festivals, to the beach, or to the garden behind your home ...



TECHNICAL SPECIFICATIONS

| | |
|--------------------|--|
| system | 2-way |
| range | <40 m ² |
| driver | 2 x 1,77" |
| amp power RMS | 25 W, class D |
| sensitivity | 75 dB |
| frequency range | 80 Hz - 20 KHz |
| sources | stereo Bluetooth [Broadcast] |
| input | USB (charging), 5V / 1A AUX - 3.5 mm jack |
| functions | hands-free call |
| lighting | led - 3 light themes |
| wireless | Bluetooth 5.3 (10 m) |
| battery | Li-ion 7.2V 2500mAh 14h (3>4h charging) |
| power supply | USB-C (DC 5 V ±0.5/2A) |
| weight / piece | 0,545kg |
| composition | ABS + textile + TPU |
| colour | black / blue |
| dimensions (Ø x h) | 73 x 191mm |
| waterproof | yes (IPX7) |



360°
sound quality



Built-in LED light

PWR03

The PWR03 is a waterproof Bluetooth speaker that will knock you off your feet: that's how surprisingly full and deep the sound of this speaker is. It keeps high and low notes perfectly balanced. Thanks to its cylindrical design, the music sounds 'loud and clear' from all sides. The built-in LED lights add a visual experience. By the way, the PWR03 is sturdy and it can take some bad weather, because it is waterproof at level IPX7. And as if that isn't enough, it has a powerbank function, a handsfree call button to your smartphone, Broadcast technology for wireless connection... this speaker has it all. Everything about it is premium quality. That makes the PWR03 time, gender and ageless.



Thanks to the carrying strap and the built-in 10-hour battery, you can take the PWR03 anywhere you go: to school, to the campsite, to festivals, to the beach, or to the garden behind your home ...



black

blue



Pair two speakers for stereo sound

TECHNICAL SPECIFICATIONS

| | |
|--------------------|--|
| system | 2-way |
| range | <40 m ² |
| woofer | 3,58" |
| tweeter | 1,16" |
| amp power RMS | 30W, class D |
| sensitivity | 75 dB |
| frequency range | 80 Hz - 20 KHz |
| sources | stereo Bluetooth [Broadcast] |
| input | USB (charging), Type A, 5V/1A AUX - 3.5 mm jack |
| functions | hands-free call |
| lighting | led - 3 light themes |
| wireless | Bluetooth 5.3 (10 m) |
| battery | Li-ion 7.2V 2500mAh 10h (3>4h charging) |
| power supply | USB-C (DC 5 V ±0.5/2A) |
| weight / piece | 0,700kg |
| composition | ABS + textile + TPU |
| colour | black / blue |
| dimensions (Ø x h) | 88 x 220mm |
| waterproof | IPX7 |



360°
sound quality



built-in LED light

PWR04

The PWR04 is a portable water-proof Bluetooth speaker that treats you to a surprisingly full and deep sound. It keeps highs and lows perfectly balanced. With its cylindrical design, music sounds equally loud and clear from all sides. Built-in LED light adds to the visual experience. By the way, the PWR04 can take a beating: the weather doesn't matter as it is level IPX6 waterproof. And as if that were not enough, you also get: TWS technology to pair it wirelessly and a power bank to charge your devices. Everything about this speaker is top quality.



Sound that can be heard and seen.



Pair two speakers for stereo sound

TECHNICAL SPECIFICATIONS

| | |
|------------------------|--|
| system | 2-way |
| range | <150m ² |
| woofer | 2 x 50W |
| tweeter | 2 x 10W |
| amp power RMS | 120W |
| sensitivity | 90dB |
| sources | stereo Bluetooth [TWS] |
| input | USB playback AUX - 3.5 mm jack MIC - 6.5 mm jack |
| powerbank | USB-A |
| lighting | LED |
| wireless | bluetooth 5.3 (<15 m) |
| battery | Li-Ion 11.1V/4500 mAh |
| charging time | 2h |
| playtime | 8 - 10h (50% volume) |
| power supply | USB-C (5-20V / 2-3A) |
| weight / piece | 5.2kg |
| composition | ABS plastic |
| colour | black |
| dimensions (h x w x d) | 465 x 192 x 254mm |
| waterproof | IPX6 |
| accessory | shoulder strap |



handy shoulder strap



built-in LED light

PWR12

The PWR12 combines power with finesse. With its 1500 Watts, it will transform any venue into a presentation room or excellent party. Even outdoors, it will effortlessly address each of the senses. It is compatible with any musical instrument and with the microphone or via Bluetooth you can use it anywhere. Also it can easily be relocated. Feel like filling a festival area? Then bear in mind that it can be wirelessly connected to another copy. Mind-blowing fun!



The PWR12 is a genuine party animal. The robust housing ensures protection against any kind of dancing force. Multi-applicable thanks to its 1500 Watts and numerous connection options.



TECHNICAL SPECIFICATIONS

| | |
|-------------------------|--|
| system | 2-way with active filter |
| range | <800m ² |
| woofer | 12" polypropylene cone |
| satellites (tweeter) | 8 x 3" neodymium full range |
| equaliser | low pitched tones |
| power amplifier RMS | 500 W ,class D |
| amp power max. | 1500 W, class D |
| sensitivity | 122dB/130dB (peak) |
| frequency range | 50Hz-20KHz |
| sources | stereo Bluetooth 5.0 USB (charging) |
| line input | XLR or 1/4" TRS |
| Aux input | RCA or 1/8" TRS |
| instrument input | 1/4" TRS |
| weight/piece | 17,5 (sub) + 3,25 (sat) kg |
| composition | wood + ABS plastic |
| colour | black |
| satellite dim. (hxwx d) | 1,620 x 80 x 105 mm |
| subwoofer dim. (hxwx d) | 435 x 370 x 440 mm |
| optional | carrying pouch |



- The built-in equaliser allows you to adjust the tone to your personal preferences.
- The columns have a simple click system, so installation can be done within five minutes.

U10

The ArtSound U10 mobile speaker rolls out the red carpet for your voice and your music everywhere. The sturdy wheels, convenient handle, rechargeable battery and two wireless microphones offer limitless possibilities. With peak power up to 300W, it doesn't matter whether your audience is 10 or 100 strong. Treat them to music smoothly via Bluetooth, USB or SD card. Feel free to bring your guitar, extra microphones and any audio source: connections galore. And would you like to have a tripod for even more reach? You can!



Powerful, clear sound in all applications. You can count on the U10.



TECHNICAL SPECIFICATIONS

| | |
|----------------------|--|
| system | 2-way Bluetooth speaker |
| range | 200m ² |
| woofer | 10" paper cone |
| | 1,5" kapton voice coil |
| tweeter | 1" compression driver |
| power amplifier RMS | 150W |
| power amplifier peak | 300W |
| sensitivity | 92dB (+-3dB) |
| frequency range | 40Hz - 20Khz |
| frequency range mic. | 823Mhz - 832MHz |
| sources | stereo Bluetooth (TWS) |
| input | MIC, AUX, guitar, USB, SD, BT |
| output | AUX |
| wireless | Bluetooth 5.0 |
| battery | 12V / 7000mAh (± 5h) |
| power supply | AC 100 - 240V |
| weight | 16kg |
| composition | ABS plastic |
| colour | black |
| dim. (h x w x d) | 561 x 360 x 310 mm |
| accessoires | 2 wireless microphones remote control |
| optional | tripod SS-59 |



All functions at your fingertips via the panel



2 wireless microphones included



R8

So compact and still such perfect timbre, we bet you didn't expect that from this radio! How does the R8 do it? Well, with its wooden casing, built-in equaliser and subwoofer. And whether you use it for music, information or relaxation, with your R8 you will never have to choose between FM, DAB+ or internet radio.

Do you want to use it as an alarm clock? You can set it up in no time with the simple menu. The alarm function will wake you at the right time, with the tune of your choosing. Yes, even in case of a power outage (spoiler: it also has a battery!).

The R8, a radio on your wavelength!



With a practical remote control and Bluetooth ... You won't even have to leave your seat.




TECHNICAL SPECIFICATIONS

| | |
|-------------------------------|---|
| description | internet – DAB+ - FM - bluetooth radio |
| radio | internet radio (auto update) FM (RDS) / DAB+ |
| memory | 99 programmable radio stations |
| functions | search by genre, location or your favourites alarm / clock / sleep timer / internet clock sync (NTP) equalizer subwoofer |
| antenna | telescopic |
| Bluetooth | V4.2 BR/EDR 2.4 GHz |
| internet connection | RJ45 (WLAN -802.11b/g/n) uPnP & DLNA support |
| output | headphone jack |
| display | 2,4" colour display |
| control | remote control |
| power supply | USB-C (DC 5V) |
| battery | 2200mAh (4 h) – Lithium - Ion |
| dimensions (h x w x d) | 115 x 186 x 110mm |
| weight | 0,89kg |
| composition | wood / ABS plastic |
| colour | black |

R9

So compact and still such perfect timbre, we bet you didn't expect that from this radio! How does the R9 do it? Well, with its wooden casing, built-in equaliser and bass reflex. And whether you use it for music, information or relaxation, with your R9 you will never have to choose between FM, DAB+ or internet radio. Do you want to use it as an alarm clock? You can set it up in no time with the simple menu. The alarm function will wake you at the right time, with the tune of your choosing.



With a practical remote control and Bluetooth ... so you can keep lounging.




TECHNICAL SPECIFICATIONS


| | |
|------------------------|---|
| description | internet – DAB+ - FM - bluetooth radio |
| radio | internet radio (auto update) FM (RDS) / DAB+ |
| memory | 99 programmable radio stations |
| functions | search by genre, location or your favourites alarm / clock / sleep timer / internet clock sync (NTP) equalizer bass reflex |
| antenna | telescopic |
| Bluetooth | V4.2 BR/EDR 2.4 GHz |
| internet connection | RJ45 (LAN WLAN -802.11b/g/n) uPnP & DLNA support |
| input | Aux |
| output | headphone jack |
| display | 2,4" colour display |
| control | remote control |
| power supply | 9.0V DC 2.0A (100-240V AC) |
| dimensions (h x w x d) | 115 x 295 x 165mm |
| weight | 1,2kg |
| composition | wood / ABS plastic |
| colour | black |

RI60

The RI60 tells a story. With this elegant, black jewel you can receive up to 10,000 radio stations worldwide. The device incorporates everything true aficionados want from a radio: WiFi, programming of up to five radio stations and an alarm function. The app allows you to zap from channel to channel without leaving the comfort of your armchair. It can be downloaded for free. Handy for use on your smartphone or tablet, but if you want the hand-held remote control, we can supply that too. In short, the RI60 is the radio of the future.



Free app : AirMusic Control by MAGIC SYSTECH INC. has been designed for internet radio. Available for iOS and Android.



TECHNICAL SPECIFICATIONS


| | |
|------------------------|--|
| description | Internet radio adapter |
| radio | 10,000 radio stations & podcasts with automatic update function |
| memory | 5 pre-set radio stations |
| functions | search by genre, location or your favourites alarm, clock, internet clock sync (NTP) equalizer |
| Bluetooth | no |
| internet connection | RJ45 (LAN & WLAN -802.11b/g) connection uPnP support |
| control | remote control AirMusic Control app |
| headphone connection | no |
| power supply | 230 V |
| dimensions (h x w x d) | 75 x 190 x 40mm |
| weight | 0,3kg |
| composition | PVC with mirror effect |
| colour | high-gloss black |

R99

With the R99, all the radio stations from all over the world are within reach. You don't have to choose between FM, DAB+, USB or internet radio. The R99 can play it all.

Packed with useful features such as an alarm and a timer, preset buttons for your four favourite radio stations, a dimmable display and much more.

All of this with a sleek design, excellent sound and an easy to operate menu.



Connect the R99 to your amplifier and start listening!



TECHNICAL SPECIFICATIONS

| | |
|------------------------|--|
| description | internet – DAB+ - FM - bluetooth radio |
| radio | internet radio (auto update) FM (RDS) / DAB+ |
| memory | 99 programmable radio stations |
| functions | search by genre, location or your favourites alarm / clock / sleep timer / internet clock sync (NTP) equalizer |
| antenna | telescopic |
| Bluetooth | V5.0 2.4 GHz |
| internet connection | WLAN - 802.11b/g/n & 10 Mbps RJ45 uPnP & DLNA support |
| input | USB |
| output | stereo RCA, coaxial, optical headphone jack |
| display | 2,4" colour display |
| control | remote control |
| power supply | 5.0V DC 1A (100 - 240V) |
| dimensions (h x w x d) | 48 x 430 x 243mm |
| weight | 1,8kg |
| composition | metal / ABS plastic |
| colour | black |





FL30T

The essence of this speaker is that it really is 'extra small.' This T-version is fitted with a transformer, allowing different units into one circuit. It has tiny dimensions and a grill with a miniscule frame (1mm!). You can't get much flatter than this, with the surprisingly clear sound as an added bonus.




The small FL30T is ideal for smaller spaces such as waiting rooms, shops, the toilet ...



TECHNICAL SPECIFICATIONS

| | |
|------------------------|--------------------|
| range | <30 m ² |
| system | full range |
| woofer | 3" polypropylene |
| tweeter | - |
| max power (100V) | 1,5 - 3 - 6W |
| max power (8Ω) | - |
| sensitivity (1W / 1m) | 80dB |
| frequency range | 150Hz - 20kHz |
| dimensions cut-out (∅) | 85mm |
| dimensions (∅ x d) | 100 x d 90mm |
| weight / piece | 0,5kg |
| housing | ABS |
| colour | white |
| extra | paintable grill |
| options | |



FL101T



This built-in speaker is flatter and more invisible than any of its predecessors. This T-version is fitted with a transformer, allowing different units into one circuit. The frame has been reduced to just one millimetre, yet continues to score highly in terms of vibration absorption. The grille of the speaker is extremely finetuned and feels almost like silk. The sound is accurate, warm and carries a long way. A no-bones-about-it speaker.



The FL101T is a real hit. It leaves no space untouched: the corridor, waiting room, office ... you can even paint it over in your favourite colour.






black grill (option)



TECHNICAL SPECIFICATIONS

| | |
|------------------------|--|
| range | <50 m ² |
| sound quality | allround |
| system | 2-way coaxial |
| woofer | 5,25" polypropylene carbon |
| tweeter | 0,5" polycarbonate |
| max power (100V) | 2,5 - 5 - 10 - 20W |
| max power (8Ω) | - |
| sensitivity (1W / 1m) | 88dB |
| frequence range | 85Hz - 20kHz |
| dimensions cut-out (Ø) | 148 x 148mm |
| dimensions (Ø x d) | 170 x 170 x 70mm |
| weight / piece | 1,1kg |
| housing | ABS |
| colour | white |
| extra | paintable grill |
| options | acoustic kit (KITSQ4) black grill (GRILLSQ525B) |



AKUSTILE-01

The AKUSTILE-01 is a speaker made for standard 600 mm x 600 mm ceiling tiles. No more measuring and cutting. Simply remove the tile where you want the speaker, connect the cable, and put the AKUSTILE-01 in the ceiling. Done!

It makes the AKUSTILE-01 the ideal speaker for background music and speech in meeting rooms, office buildings, schools, restaurants, hospitals and hotels. The speaker is remarkably subtle: it comes in matt black and white, allowing it to blend into any ceiling, and you can integrate it into any 70-volt, 100-volt or even standard 8-ohm system.



Ceiling tile out, speaker in



black grill



white grill





security cable



adjustable power with selector

TECHNICAL SPECIFICATIONS

| | |
|-----------------------|-----------------------------------|
| range | <20 m ² |
| system | full range driver |
| woofer | 8" paper cone |
| tweeter | 1" voice coil |
| max power (100V) | 2,5 - 5 - 10W |
| max power (70V) | 1,5 - 2,5 - 5 - 10W |
| max power (8Ω) | 30W |
| power selector | yes |
| sensitivity (1W / 1m) | 92dB |
| frequency range | 200Hz - 20kHz |
| connection | euroblock connector |
| dimensions (Ø x d) | 595 x 595 x 100mm |
| weight / piece | 6,3kg |
| housing | metal |
| colour | matte black, matte white |
| features | paintable grill security cable |



FL501T



This built-in speaker is flatter and more invisible than any of its predecessors. This T-version is fitted with a transformer, allowing different units into one circuit. The frame has been reduced to just one millimetre, yet continues to score highly in terms of vibration absorption. The grille of the speaker is extremely finetuned and feels almost like silk. The sound is accurate, warm and carries a long way. A no-bones-about-it speaker.



One of the most popular speakers with an all-purpose design, thanks to the power of the sound and the modest mounting dimensions.




black grill (option)



TECHNICAL SPECIFICATIONS

| | |
|------------------------|--|
| range | <50m ² |
| system | 2-way coaxial |
| woofer | 5,25" polypropylene carbon |
| tweeter | 0,5" polycarbonate |
| max power (100V) | 2,5 - 5 - 10 - 20W |
| max power (8Ω) | - |
| sensitivity (1W / 1m) | 88dB |
| frequency range | 85Hz - 20kHz |
| dimensions cut-out (∅) | 180mm |
| dimensions (∅ x d) | 200 x 70mm |
| weight / piece | 1,1kg |
| housing | ABS |
| colour | white |
| extra | paintable grill |
| options | acoustic kit (KITR04) black grill (GRILLHPR0525B) |



MDT-1005

Simple and straightforward.
The MDT-1005 built-in speaker
produces a correct sound at a
correct price.




*The MDT-1005 stands its ground
wherever background music is
required.*



TECHNICAL SPECIFICATIONS

| | |
|-----------------------|-------------------|
| range | <30m ² |
| system | full range driver |
| woofer | 5" paper cone |
| tweeter | - |
| max power (100V) | 1,5 - 3 - 6W |
| max power (8Ω) | - |
| sensitivity (1W / 1m) | 89dB |
| impedance | - |
| frequency range | 80Hz -18 kHz |
| dimensions (Ø x d) | 145mm |
| weight / piece | 170 x 80mm |
| weight / piece | 0,75kg |
| composition | ABS |
| colour | white |
| features | spring clip |




MDT400-I

100V rounded inwall loudspeaker suitable for the reproduction of music as well as PA announcements. The MDT400-I comes with a metal frame and has a shallow inwall depth.




Thanks to its shallow inwall depth, the MDT400-I is the ideal partner for background music. Its style is discretion, like in this trendy restaurant.



TECHNICAL SPECIFICATIONS

| | |
|-----------------------|-------------------|
| range | <40m ² |
| system | full range driver |
| woofer | 4" paper cone |
| tweeter | - |
| max power (100V) | 1,5 - 3 - 6W |
| max power (8Ω) | - |
| sensitivity (1W / 1m) | 92dB |
| impedance | 8Ω |
| frequency range | 130Hz - 16kHz |
| dimensions (Ø x d) | 155mm |
| weight / piece | 180 x 50mm |
| weight / piece | 0,7kg |
| composition | metal |
| colour | white |
| features | spring clip |



MDT500-P

In view of its dimensions, the MDT500-P is an extremely powerful inwall speaker with a maximum capacity of 30W. Its large 6" driver guarantees a warm sound.






This MDT500-P is common sight in shops, restaurants and chain stores. Thanks to its in-built bass reflex and the knob at the rear to regulate the wattage, this speaker has grown into a real allrounder.



TECHNICAL SPECIFICATIONS

| | |
|-----------------------|----------------------------------|
| range | <40m ² |
| system | full range driver |
| woofer | 5" paper cone |
| tweeter | 1.5" PEI |
| max power (100V) | 3,75 - 7,5 - 15 - 30W |
| max power (8Ω) | 40W |
| sensitivity (1W / 1m) | 89dB |
| impedance | - |
| frequency range | 100Hz - 18kHz |
| dimensions (Ø x d) | 210mm |
| weight / piece | 240 x 155mm |
| weight / piece | 2,1kg |
| composition | ABS |
| colour | white |
| features | power selector protective box |



UNI30T

Universals. The name gives the game away: they can be used anywhere! Not only in terms of location, but sound too. Thanks to the timeless design, the Universals embodies a striking neutrality. On the other hand, with respect to performance, it's quite dominant: warm, detailed and with a wide reach thanks to ArtSound sound technology. This T-version is fitted with a transformer, allowing different units into one circuit. The unit is dust- and moisture-resistant. The plug-in screw terminal facilitates easy connection of the speaker cable.



You'll find the UNI30T at Starbucks, but also offices, refrigeration areas, conference rooms, warehouses, stations, etc.



COLOURS white / black / quartz



TECHNICAL SPECIFICATIONS

| | |
|------------------------|-----------------------------|
| range | <40m ² |
| system | 2-way |
| woofer | 3,5" polypropylen mica cone |
| tweeter | 1/2" PEI Ferrite |
| bass reflex | yes |
| magnetic shielded | no |
| max. power (100V) | 2 - 4 - 8 - 15W |
| max. power (8Ω) | 50W / 8Ω |
| sensibility (1W / 1m) | 90dB |
| frequency range | 100Hz - 20kHz |
| dimensions (h x w x d) | 180 x 115 x 112mm |
| weight / piece | 1,2kg |
| composition | ABS |
| colour | white / black / quartz |
| suspension | u-wall bracket (incl.) |



u-wall-bracket



power selector



plug-in screw adaptor

UNI40T

Universals. The name gives the game away: they can be used anywhere! Not only in terms of location, but sound too. Thanks to the timeless design, the Universals embodies a striking neutrality. On the other hand, with respect to performance, it's quite dominant: warm, detailed and with a wide reach thanks to ArtSound sound technology. This T-version is fitted with a transformer, allowing different units into one circuit. The unit is dust- and moisture-resistant. The plug-in screw terminal facilitates easy connection of the speaker cable.



With the UNI40T, it's possible to brighten up any filling station, boardroom, conference room or bar.



COLOURS white / black / quartz



TECHNICAL SPECIFICATIONS

| | |
|------------------------|--------------------------|
| range | <40m ² |
| system | 2-way |
| woofer | 5,25" polypropylene mica |
| tweeter | 1/2" neodymium |
| bass reflex | yes |
| magnetic shielded | no |
| max. power (100V) | 4 - 7,5 - 15 - 30W |
| max. power (8Ω) | 80W / 8Ω |
| sensibility (1W / 1m) | 87dB |
| frequency range | 60Hz - 20kHz |
| dimensions (h x w x d) | 230 x 146 x 142mm |
| weight / piece | 2.4kg |
| composition | ABS |
| colour | white / black / quartz |
| suspension | u-wall bracket (incl.) |



u-wall-bracket



power selector



plug-in screw adaptor

UNI75

The UNI75 is a surface-mounted speaker from the Universals-series, but it distinguishes itself by its phenomenal capacity. The slender multiplex casing has a polyurethane-coating, a “jacket” that makes it immune for any attack from outside. Both a double 5” driver and a horn tweeter were fitted. It will push out any detail, without distortion. It can easily handle 380 Watts of power. The dB-pressure ensures a tremendous range. Combine it with the AS1000 subwoofer to create a top notch interplay.

- ① The bracket will ensure perfect alignment, vertically as well as horizontally.
- ② Thanks to the professional Speakon connector, you can easily interconnect multiple units.



The UNI75 can be used in any space where sound is really relevant. Any hall will become a major dance venue! Any auditorium will be an ultimate place to listen.

**MADE IN
EUROPE**



TECHNICAL SPECIFICATIONS

| | |
|------------------------|---|
| range | <200m ² |
| system | 2-way |
| woofer | 2 x 5” MF transducer |
| tweeter | 1” horn tweeter |
| bass reflex | yes |
| magnetic shielded | yes |
| amp power | 200-380W (recommended) |
| spread differential | 60 x 60° |
| sensibility | 122dB |
| impedance | 8Ω |
| frequency range | 65Hz-20KHz |
| connection | Speakon NL4 in/out |
| dimensions (h x w x d) | 430 x 170 x 230mm |
| weight / piece | 7,5kg |
| composition | 15 mm multiplex box with polyurethane coating |
| colour | black |
| suspension | u-wall bracket (incl.) |




① u-bracket



② Speakon connector

ASW55.2T

The ASW55.2T is the ideal partner for outdoor projects. It incorporates the newest acoustic technology and is amazingly powerful yet discreet. This T-version is fitted with a transformer, allowing different units into one circuit. The unique curved shape produces clear, warm sound performance. Thanks to the indoor-outdoor switch, this speaker provides pure musical enjoyment, outdoors as well as indoors. In addition, the bass reflex may be hermetically sealed using the tube supplied.



The ASW55.2T is excellently suitable to be used for any project. The 100V-technology allows you to easily connect terrasses, swimming pools etc.



COLOURS white / black



TECHNICAL SPECIFICATIONS

| | |
|------------------------|---|
| range | <50m ² |
| system | 2-way |
| woofer | 5,25" polymica cone |
| tweeter | 0,5" PEI dome neodymium |
| bass reflex | yes |
| magnetic shielded | no |
| max. power (100V) | 5 - 10 - 20 - 40W |
| max. power (8Ω) | 60W |
| sensibility | 87dB |
| frequency range | 75Hz - 20kHz |
| dimensions (h x w x d) | 250 x 190 x 150 mm |
| weight / piece | 2,6kg |
| housing | ABS |
| colour | white / black |
| waterproof | yes (IP54) |
| frost-free | yes |
| features | power selector indoor-outdoor switch |
| suspension | wall bracket (incl.) |



power selector



ROCK T

Our rock in the surf. You can hear it, but you can't see it. The design of the ROCK T blends seamlessly into any garden. This T-version is fitted with a transformer, allowing different units into one circuit. Moreover, it is resistant to all weather conditions. Thanks to the special bass reflex, you can enjoy powerful deep bass and it provides optimum dispersion over a large area.



The ROCK resists every whim of the weather gods. It blends easily into tall grasses, flower arrangements and lush plants. Only its powerful sound betrays its presence.




COLOURS grey / brown



TECHNICAL SPECIFICATIONS

| | |
|------------------------|---------------------------|
| range | <50m ² |
| system | 2-way coaxial |
| woofer | 6,5" polypropylene carbon |
| tweeter | 0,5" PEI dome |
| bass reflex | yes |
| magnetic shielded | no |
| max. power (100V) | 5 - 10 - 20W |
| max. power (8Ω) | - |
| sensibility (1W / 1m) | 91dB |
| frequency range | 50Hz - 20kHz |
| dimensions (h x w x d) | 320 x 230 x 270mm |
| weight / piece | 5kg |
| housing | ABS |
| colour | grey / brown |
| waterproof | yes (IP54) |
| frost-free | yes |
| UV resistant | yes |



bass reflex-casing for an even deeper sound




adjustable power connection

CLMN8

This column speaker sounds much broader than suspected by its design. Thanks to 8 integrated drivers it can handle any voice range, as well as any musical tone. The high dB-pressure ensures a broad range. A convenient switch allows you to switch it to 8 ohm as well as to 100 V projects. As such, not only its sound, but also the application opportunities are simply 'all round'. Good for any musical spicing of a presentation, in a church, the hall, etc. Available in a white or black aluminium enclosure.



The column speaker is quite discrete. It will blend in with any interior, both privately and professionally. Residentially as well in the public sector.



COLOURS black / white

TECHNICAL SPECIFICATIONS

| | |
|---------------------------|--------------------------------|
| range | <60m ² |
| system | 2-way/broadband 8+1 |
| driver, neodymium-magnet | 2" polypropylene cone |
| tweeter, neodymium-magnet | 1" soft dome |
| bass reflex | - |
| magnetic shielded | yes |
| max. power (100V) | 6 -15-30W |
| max. power (8Ω) | 40-180W |
| sensibility | 1dB |
| frequency range | 120Hz - 20kHz |
| dimensions (h x w x d) | 578 x 70 x 75mm |
| weight / piece | 2,23 kg |
| housing | aluminium |
| colour | black / white |
| waterproof / frost-free | no |
| features | power selector |
| suspension | directional bracket (incl.) |



patented bracket for perfect alignment and compact mounting against the wall



power selector

ASP60

You need many of these spherical speakers to ensure good dispersion of music (or call) in a room. It was developed specifically for this purpose. The shape guarantees a spreading up to 360°. This makes it suitable for public spaces, halls, corridors etc.



Highs and lows: neither are real friends for effective acoustics. Not a problem for the ASP60 though.





← Ø 385mm →



TECHNICAL SPECIFICATIONS

| | |
|-----------------------|------------------------------|
| range | <100m ² |
| system | full range driver |
| woofer | 6" paper cone |
| tweeter | - |
| bass reflex | yes |
| magnetic shielded | - |
| max. power (100V) | 7,5 - 10 - 15- 20 - 30 - 67W |
| max. power (8Ω) | - |
| sensibility (1W / 1m) | 102dB |
| frequency range | 100Hz - 10kHz |
| dimensions (h x Ø) | 302 x 385mm |
| weight / piece | 3,4kg |
| housing | ABS |
| colour | black / white |
| waterproof | - |
| frost-free | - |
| suspension | cable 35cm (incl.) |



adjustable power connection

OSP500

Question: how do you fill a large space with the smallest number of speakers? Answer: with the OSP-500. The OSP-500 is a directional spherical speaker that does not send the sound waves directly downwards, but with a 360° dispersion. Moreover, the suspension is adjustable in length. The OSP is made of ABS plastic and is equipped with various connection options (Watt).



You don't need to be big to put in a strong performance. The OSP-500 proves this point here in this station. Yet another smart solution.



COLOURS



TECHNICAL SPECIFICATIONS

| | |
|--------------------|--------------------------|
| range | <40m ² |
| system | broadband |
| woofer | 5" paper cone full range |
| tweeter | 1" |
| bass reflex | - |
| magnetic shielded | - |
| max. power (100V) | 2,5 - 5 - 10W |
| max. power (8Ω) | - |
| sensibility | 92db |
| frequency range | 100Hz - 15kHz |
| dimensions (h x Ø) | 157 x 185mm |
| weight / piece | 1,32kg |
| housing | ABS |
| colour | black / white |
| waterproof | yes (IP55) |
| frost-free | - |
| suspension | cable 5m (incl.) |



adjustable power connection

PSW525

This projector-speaker sounds just as courteously as it looks. The cylindrical body® was developed to be able to transfer the sound vibrations across an as great as possible distance. The sound vibrations are encapsulated in a bundle that is thrust, ensuring that ambient noises will not disrupt the message. This speaker is suitable for background music and/or functional sound (e.g. notices)



The PSW525 has a remarkably organic shape. Also the sound is very powerful, thanks to the 5,25" woofer, and it easily fills any (industrial) space.



TECHNICAL SPECIFICATIONS

| | |
|-----------------------|----------------------|
| range | >40m ² |
| system | - |
| woofer | 5,25" paper cone |
| tweeter | - |
| bass reflex | - |
| magnetic shielded | - |
| max. power (100V) | 5 - 10 - 35W |
| max. power (8Ω) | 40W |
| sensibility (1W / 1m) | 92dB |
| frequency range | 160Hz - 12kHz |
| dimensions (Ø x d) | 169 x 217mm |
| weight / piece | 1,6kg |
| housing | ABS |
| colour | white |
| waterproof | yes (IP66) |
| frost-free | yes |
| suspension | wall bracket (incl.) |



The unique integration of the grille ensures seamless appearance and sound.

AS1000

Every pro-audio lover will enthusiastically listen to what this subwoofer is capable of. A driver of no less than 15" is integrated. This will allow it to peak, up to 1400W.

The AS1000 is a passive subwoofer, designed for universal use, in big or small rooms, with either high or low volume. Its size reveals its power. Thanks to the bass reflex design you can always rely on maximum performance at low frequencies.



Together with the UNI75 or the UNI80, the AS1000 forms the perfect pair. This will turn any party room into a ballroom, any pub into a discotheque and any museum into an auditorium.

**MADE IN
EUROPE**



TECHNICAL SPECIFICATIONS

| | |
|------------------------|---|
| range | <400 m ² |
| system | passive subwoofer |
| woofer | 15" EU-transducer |
| tweeter | - |
| impedance | 8Ω |
| bass reflex | yes |
| magnetic shielded | - |
| amp power | 1000 / 1400W |
| sensibility | 136dB |
| frequency range | 38Hz - 160Hz |
| connection | Speakon 2 x NL4 in parallel |
| dimensions (h x w x d) | 430 x 530 x 550mm |
| weight / piece | 29kg |
| composition | 15 mm multiplex box with polyurethane coating |
| colour | black |



- User friendly Speakon connection
- Strong cabinet with polyurethane coating





WHAT'S THE PURPOSE OF AMPLIFIERS EXACTLY? WHY ARE THEY NECESSARY?

Depending on the situation, an amplifier can be simple or complicated. The purposes of a sound amplifier is to intensify audio signals for the human ear, for example, for reproducing an audio CD, a microphone system, a guitar, etc.

But they also have other applications, such as amplification of high-frequency signals for radio and TV stations.



Generally speaking, there are three types of amplifiers. Most of us are familiar with the **MIXING amplifier**, a difficult word for something that can handle anything. It will help you define the wattage you need. Just connect up the speakers and the source, and hey presto!

The name **PRE-amplifier**, however, says exactly what the amplifier does: it defines the way you want things BEFORE you amplify them. In other words it is the nervous system of the sound system. This unit determines the source you want to select, the volume, etc.



The **POWER amplifier** defines the capacity of the system, that is, its brute force. It's just like a car, which has its steering system (pre-amplifier) and engine (power amplifier). Neither can exist without the other.

Finally, there is the **matrix**, which functions like an adult dispatcher with the fire services. He coordinates everything: who is sent where and in what numbers? Who receives priority? Etc. You can almost feel what's coming next. A system using a matrix requires a little more forethought. The matrix always maintains an overview.



MX-2406M

6-ZONE 19" SELECTIVE MIXING AMPLIFIER

This versatile mixing amplifier with integrated music source offers 240W output power. You can instantly create six zones operating independently (a single source simultaneously). They each have their own volume level and selective PA option.

| | |
|------------------------|---|
| output capacity 100V | 240W |
| output capacity RMS 8Ω | 240W |
| frequency range | 50Hz - 16kHz |
| zones | 6 |
| direct output | 4-16Ω / 70V / 100V |
| tone control | yes (per input) |
| built-in music source | USB/SD - FM tuner - Bluetooth |
| line out | yes |
| MIC input | 4 (combo XLR/Jack) + 2 (selective paging RJ45) |
| AUX input | 2 (RCA) |
| chime function | yes |
| priority levels | 5 |
| | EMC input (externally injected signal) |
| | ALARM trigger (built-in) |
| | TEL input / REMOTE MIC (MIC-216) |
| | CHIME |
| | MIC1 (prior to MIC2-4/LINE1-2) |
| power supply | 240V AC / 24V DC |
| power consumption | 360W |
| dimensions (h x w x d) | 88 x 484 x 353mm - 2RS |
| weight | 7,2kg |
| extra | remote control |
| accessories | MIC-216 / MIC-511C / MIC-621A / WMS-100 / WBS-200 |



The music in the refrigeration aisles is louder than in the checkout area of this supermarket. What's more, you can put out calls for staff per zone.






MX-5006M

6-ZONE 19" SELECTIVE MIXING AMPLIFIER

Just choose between radio or a wireless BT-connection and in no time, you will create 6 zones that operate independently (one source at a time). They each have their own volume level and selective PA option.

| | |
|------------------------|---|
| output capacity 100V | 500W |
| output capacity RMS 8Ω | 500W |
| frequency range | 50Hz - 16kHz |
| zones | 6 |
| direct output | 70V / 100V / 4-16Ω |
| tone control | yes (per input) |
| built-in music source | USB/SD - FM tuner - Bluetooth |
| line out | yes |
| MIC input | 4 (combo XLR/Jack) + 2 (selective paging RJ45) |
| AUX input | 2 (RCA) |
| chime function | yes |
| priority levels | 5 |
| | EMC input (externally injected signal) |
| | ALARM trigger (built-in) |
| | TEL input / REMOTE MIC (MIC-216) |
| | CHIME |
| | MIC1 (prior to MIC2-4/LINE1-2) |
| power supply | 240V AC / 24V DC |
| power consumption | 360W |
| dimensions (h x w x d) | 88 x 484 x 353mm - 2RS |
| weight | 7,2kg |
| extra | remote controls |
| accessories | MIC-216 / MIC-511C / MIC-621A / WMS-100 / WBS-200 |



Does one zone require more power than the other? That is a piece of cake for the MX-5006M. An appeal to the person responsible for the department is also easily done.





MATAMP-2240


2-ZONE MATRIX MIXING AMPLIFIER

This matrix amplifier guarantees the ultimate in flexibility. You can direct the sound of connected music sources to up to two zones, with total control. In addition, there is a built-in DAB+/FM radio with BT. With its output of 240W per zone, it can handle any situation.

| | |
|------------------------|--|
| output power | 2 x 240W |
| frequency range | 60Hz-15kHz (+/-3dB) |
| zones | 2 zones 100V & 8-16 ohms |
| input | 70V / 100V / 4 - 16Ω MIC/Line 1-3 2.5mV, balanced combo XLR with selectable 48V phantom power supply Line 1 & EMC input 250 mV, RCA Mute (open = mute) |
| output | 2 x RJ45 ports (WP-2240 / MIC-2240) line out RCA (0.775 OdBV) |
| built-in source | DAB+ / FM / Bluetooth / USB / micro SD |
| protection | Overvoltage, temperature, clipping, short-circuit protection |
| power supply | AC 230V, 50-60Hz |
| power consumption | 600W (max) |
| dimensions (h x w x d) | 88 x 484 x 405mm - 2U |
| weight | 9,6kg |
| accessories | wall panel (Bluetooth) : WP-2240 selective broadcast microphone : MIC-2240 |



Different music in the warehouse and desks, with the MATAMP-2240 a small trick.



The optionally available MIC-2240 selective broadcast microphone and WP-2240 wall panel with BT complete the ease of use.





PM-2S01


2 ZONES STEREO PRE-AMPLIFIER

With the PM-2S01, you now have a 10-channel preamplifier whose signals can be transmitted to two zones. Each channel has its own individual volume control and is ideal for connecting up a microphone or other sources. You have a choice between XLR connections (9), MIC/LINE (5), RCA (4) and REC OUT (1).

| | |
|------------------------|--|
| zones | 2 |
| direct output | yes (REC) |
| LED level indicator | yes - per zone |
| tone control | yes - per zone |
| output | 2 x XLR |
| amp in | - |
| pre-amp out | - |
| MIC input | 2 - 6 XLR 7 - 10 XLR / RCA |
| AUX input | - |
| tape input | - |
| chime function | yes (2/4-tone) |
| priority levels | MIC 2 / 4 VOX |
| protection | - |
| cooling | - |
| power supply | AC 230V / 50Hz - DC 24V |
| power consumption | 13W |
| dimensions (h x w x d) | 44 x 484 x 295mm - 1RS |
| weight | 3.9kg |
| extra | - |
| accessories | MIC-511C / MIC-621A / WMS-100 WBS-200 |



This company restaurant looks and feels pleasant, but different from the offices. The PM-2S01 ensures a controllable solution!




PRH-4240

4-CHANNEL 100V POWER AMPLIFIER

Professional 4-channel 100V power amplifier in an extremely compact 19" 1U housing. This class D-amplification with high efficiency guarantees high power, minor distortion and hardly any heat development. Good for a maximum of 240W of power across four zones.

| | |
|------------------------|---------------------------------------|
| output capacity 100V | 4 x 240W |
| frequency range | 20Hz - 20kHz |
| zones | 4 |
| input | balanced phoenix connector |
| output | speaker phoenix connector |
| LED level indicator | yes |
| safety | over-voltage and power surges |
| cooling | automatic ventilator / thermal sensor |
| power supply | 220V AC |
| dimensions (h x w x d) | 44 x 484 x 420mm - 19"/ 1U |
| weight | 8,8kg |



Compact in size and with a low power consumption. Provide speaker power for up to 4 different zones in all kinds of projects.






PRH-4350

4-CHANNEL 100V POWER AMPLIFIER

Professional 4-channel 100V power amplifier in an extremely compact 19" 1U housing. This class D-amplification with high efficiency guarantees high power, minor distortion and hardly any heat development. Good for a maximum of 350W of power across four zones.

| | |
|------------------------|---------------------------------------|
| output capacity 100V | 4 x 350W |
| frequency range | 20Hz - 20kHz |
| zones | 4 |
| input | balanced phoenix connector |
| output | speaker phoenix connector |
| LED level indicator | yes |
| safety | over-voltage and power surges |
| cooling | automatic ventilator / thermal sensor |
| power supply | 220V AC |
| dimensions (h x w x d) | 44 x 484 x 420mm - 19"/1U |
| weight | 9,2kg |



Compact in size and with a low power consumption. Provide speaker power for up to 4 different zones in all kinds of projects.





PRL-1502

2-CHANNEL POWER AMPLIFIER

The PRL-1502 is a professional 2-channel amplifier in a highly compact 19-inch 1U housing. The class D amplification with high efficiency guarantees high power and low distortion coupled with very low heat generation.

All production and assembly take place in Europe and all major components are European. With the new PRL amplifiers, ArtSound wants to contribute to the environment and society through local employment and cleaner and faster transport.

The PRL series represents sustainable and audible quality.

| | |
|---------------------------|---|
| output capacity | 2 x 150W (4Ω) / 2 x 75W (8Ω) 300W (bridge) |
| frequency range | 10Hz – 30kHz |
| channels | 2 |
| input | 2 x combo XLR/jack |
| output | 2 x 2-pin euroblock 2 x speakon |
| signal indicator | yes |
| clip/protection indicator | yes |
| safety | overvoltage, short-circuit, thermal |
| power supply | 100-240V AC @ 50-60Hz |
| extra | bridge mode |
| dimentions (h x w x d) | 44,5 x 483 x 275mm – 19"/1U |
| weight | 4,2kg |

**MADE IN
EUROPE**



PRL-1504

4-CHANNEL POWER AMPLIFIER

The PRL-1504 is a professional 4-channel amplifier in a highly compact 19-inch 1U housing. The class D amplification with high efficiency guarantees high power and low distortion coupled with very low heat generation.

All production and assembly take place in Europe and all major components are European. With the new PRL amplifiers, ArtSound wants to contribute to the environment and society through local employment and cleaner and faster transport.

The PRL series represents sustainable and audible quality.

| | |
|---------------------------|--|
| output capacity | 4 x 150W (4Ω) / 4 x 75W (8 Ω) 2 x 300W (bridge) |
| frequency range | 10Hz – 30kHz |
| channels | 4 |
| input | 4 x combo XLR/jack |
| output | 4 x 2-pin euroblock 2 x speakon |
| signal indicator | yes |
| clip/protection indicator | yes |
| safety | overvoltage, short-circuit, thermal |
| power supply | 100-240V AC @ 50-60Hz |
| extra | bridge mode |
| dimensions (h x w x d) | 44,5 x 483 x 275mm – 19"/1U |
| weight | 4,2kg |

MADE IN
EUROPE



PRL-3002

2-CHANNEL POWER AMPLIFIER

The PRL-3002 is a professional 2-channel amplifier in a highly compact 19-inch 1U housing. The class D amplification with high efficiency guarantees high power and low distortion coupled with very low heat generation.

All production and assembly take place in Europe and all major components are European. With the new PRL amplifiers, ArtSound wants to contribute to the environment and society through local employment and cleaner and faster transport.

The PRL series represents sustainable and audible quality.

| | |
|---------------------------|-------------------------------------|
| output capacity | 2 x 300W (8Ω) |
| frequency range | 10Hz – 30kHz |
| channels | 2 |
| input | 2 x combo XLR/jack |
| output | 2 x 2-pin euroblock 2 x speakon |
| signal indicator | yes |
| clip/protection indicator | yes |
| safety | overvoltage, short-circuit, thermal |
| power supply | 100-240V AC @ 50-60Hz |
| dimensions (h x w x d) | 44,5 x 483 x 275mm – 19"/1U |
| weight | 4,2kg |

**MADE IN
EUROPE**




AMP850

MULTI-CHANNEL AMPLIFIER

The AMP850 is a multi-channel amplifier that allows you to drive up to eight (mono) or four (stereo) speaker zones. Each stereo loudspeaker zone is allocated the generous power of 2 x 50 watts. The AMP850 serves as the powerhouse of an existing multiroom system or you can use it in combination with our Smart Zone 4 or Smart Stream. In different rooms, you can control the sound with local volume controls (from our N-VOLST range).

| | |
|----------------------|---|
| output power | 50 Watt / channel @ 8 Ω |
| bridged power output | 150 watts / channel @ 4 Ω |
| frequency range | 20 Hz - 20 kHz (+/- 3dB) |
| channels | 8 channel, 4 zones |
| input | stereo RCA (bus input 1 & 2 + locale), trigger in |
| output | stereo RCA (bus output 1 & 2), trigger out |
| safety | overvoltage, short-circuit, thermal |
| power supply | AC 220 - 240 V / AC 100 - 120 V 60 Hz |
| dim. (h x w x d) | 88 x 430 x 335mm |
| weight | 9,5kg |



*Each zone has enough power.
Extra warm background music
lives here.*



SRC-2221

SOURCE

This SRC-2221 is a real jack-of-all-trades. In one housing you will find Bluetooth, a digital tuner, CD player, SD and USB reader; four disciplines effortlessly controlled by the hand-held transmitter.

| | |
|------------------------|---|
| frequency range | 20Hz - 20kHz |
| direct output | 2 x RCA |
| sources | AM/FM tuner - 99 presets / SD/USB input (MP3) / CD player Bluetooth |
| power supply | 240V AC |
| power consumption | 200W |
| dimentions (b x h x d) | 44 x 484 x 215mm - 1RS |
| weight | 3,7kg |
| extra | remote control FM/AM antenna |



Once you sit down here, you won't want to get up again. With the functional hand-held transmitter there's no longer any need to. What's more, at the flick of a switch you can change playlist and channel.



MIKS6.4

MIXING TABLE

This MIKS6.4 is not just another mixing table. It is a multi-functional mixing desk. After all its applications are diverse.

The MIKS6.4 suits perfectly in a standard DJ-environment, like an environment with multiple zones. It has six channels and offers 11 line-ins and 3 mic inputs. Using the handy selection switch you can control the desired zone(s). And you are the one to determine the power of the signal.

| | |
|------------------------|--|
| frequency range | 20Hz-20KHz |
| zones | 4 |
| zone outputs | 3-pin XLR / RCA |
| S/N ratio | 88dB |
| THD | 0.03% (line) 0.15% (mic) |
| tone control | 3-band equalizer |
| MIC input | 5mV RMS, 2 x 6.3 mm mono jack, 1 x XLR |
| line input | 200mV RMS, 11 x RCA |
| headphone | 8Ω, 1 x 6,3mm stereo jack |
| power supply | 230V AC |
| power consumption | 13W |
| dimensions (h x w x d) | 105 x 482 x 177mm - [4U] |
| weight | 4kg |



With the proper amplifier, the MIKS6.4 is excellently suitable for use in the hospitality industry, in schools, cultural centres, sports centres, etc.




SVC6.2T

The SVC6.2T, connected to a 100V amplifier, lets you create 6 different zones controllable in volume (100W per channel). The practical dials on the front panel allow you to adjust the volume for each zone or switch it off completely. Each volume control is equipped with a 24V priority relay. The styling and finishing allow the SVC6.2T to blend in perfectly with your 19" professional rack.

| | |
|------------------|---------------------------------|
| description | 100V volume control for 6 zones |
| max. power | 100W max. per channel |
| priority channel | 24V DC |
| dim. (h x w x d) | 88 x 483 x 86mm - 2u (19") |
| weight | 1,86kg |
| colour | black |



Want the same music in the warehouse, the office, as well as in the entrance hall? Using the SVC6.2T, you stay in control and give each zone its own volume.





MIC-8000A

This microphone (in combination with the MAT-8000) allows you to put a call out in any zone you wish. Each of the buttons on your 'private' base has its own function. The attention signal helps catch everyone's notice (gong switch 2 to 4 tones). Pull the goose-neck towards you, adjust the volume and address every bystander. The LED light indicates that everything is okay. The MIC-8000A can be linked to the MAT-8000 with a cat 5 cable.



A call just intended for the board meeting? Not a problem with the MIC-8000A: discreet, but direct.



TECHNICAL SPECIFICATIONS

| | |
|------------------------|-----------------------|
| type | condenser microphone |
| polar pattern | unidirectional |
| frequency response | 50 - 18000Hz, +/- 2dB |
| impedance | 600Ω |
| sensitivity | - 75dB |
| volume control | chime + microphone |
| selective call | 8 zones |
| power supply | 24V DC |
| dimensions (h x w x d) | 58 x 180 x 145mm |
| weight | 2.5kg |
| extra | power adapter |
| combination | MAT-8000 |

MIC-621A

The MIC-621A is our allround mic. You can connect it up to different types of amplifier. What's more, it's extremely easy to operate and also includes an emergency battery. Just switch it on, press the button, say what you have to say and finish. Simple and straightforward.



A debate in this conference room requires an easy-to-use microphone. Even non-specialists can use this one.



TECHNICAL SPECIFICATIONS

| | |
|------------------------|---|
| type | condenser microphone |
| polar pattern | cardioid |
| frequency response | 50 - 12000Hz |
| impedance | 600Ω |
| sensitivity | - 63dB |
| volume control | - |
| power supply | 9V DC / 12V AC |
| dimensions (h x w x d) | 45 x 125 x 150mm |
| weight | 1.3kg |
| extra | XLR cable (6m) back-up battery |
| combination | MX-120M / MX-2406M / MX-5006M MAT-8000 / PM-2S01 |



MIC-511C

The MIC-511C is a table microphone with lots of sensitivity. Cardioid directivity elements ensure that sound reproduction is perfect. This microphone is powered by a 48V phantom power.



The MIC-511C filters out background noise. As a result, you can hear everything that's being announced.



TECHNICAL SPECIFICATIONS

| | |
|------------------------|--|
| type | condenser microphone |
| polar pattern | cardioid |
| frequency response | 60 - 15000Hz |
| impedance | 2000 |
| sensitivity | - 47dB, +/- 3dB |
| volume control | - |
| power supply | 11 - 52V |
| dimensions (h x w x d) | 38 x 90 x 143mm |
| weight | 1.5kg |
| extra | XLR cable (10m) |
| combination | MX-2406M / MX-5006M / MAT-8000 / PM-2S01 |



MIC-216

The MIC-216 paging console (compatible with the MX-2406M/ MX-5006M) allows you to put a call out in any zone you wish. Each of the buttons on your 'private' base has its own function. The attention signal helps catch everyone's notice. Pull the goose-neck towards you, adjust the volume and address every bystander. The LED light indicates that everything is okay.



Photo : Fancycrave on Unsplash

Want to catch the attention of the member of staff in aisle 5? The MIC-216 does what's necessary.




TECHNICAL SPECIFICATIONS

| | |
|------------------------|---|
| type | condenser microphone |
| polar pattern | unidirectional |
| frequency response | 80Hz - 16KHz, +/- dB |
| connector | RJ45 port (2x available - loop-through) max. 6 microphones |
| sensitivity | - 50dB |
| volume control | chime + microphone |
| power supply | 24V DC - 500 mA |
| dimensions (h x w x d) | 54 x 175 x 147mm |
| weight | 1kg |
| extra | DC power supply |
| combination | MX-2406M / MX-5006M |










“Make the dining experience complete with pleasant, warm background music both on the floor and on the patio, with classy design speakers that match with your location.”



Hospitality: restaurant

The multi-functional streaming- and internet radio source RI65 hooked up to the MIKS6.4 mixing table, for faultless control. For inside, you have the choice between the classy UNI40 build-on speakers or the discrete HPRO650 inwall speakers. Both options give a detailed, warm sound. For on the patio, we have the combination of the waterproof ASW800 hifi-speakers on the wall with the surprisingly pretty KURV-design speakers on the floor. The powerful PRL-1504 stereo amplifier powers this beautiful setup with sufficient capacity.



5 x UNI40T
30W



15 x FL501T
20W



6 x ASP60
60W



2 x KURV
40W